

Index

A

- Absolute Asymmetric Synthesis**
 Autocatalysis, Pyrimidine Carboxaldehydes, 360–361
 Pyrimidine Carboxaldehydes, 360–361
Absorbed Catalysts, 522–524
Achiral Additive, Phosphine Oxide, Hydrocyanation of Aldehydes, 387–388
Achiral Ligands
 Atropisomers, BIPHEN, 210
 In Ketone Reduction, 382–386
 With Hydrogen Bonds, 207–208
Achiral Salen Complexes, in Cyclopropanation, 223
Activation Modes, 376
Activation of Lewis Acids, by Lewis Bases, 352–355
Acyl Anion Equivalent
 From Acyl Silane, 60–61
 From Aldehyde, 59
Acylation, Alcohols
 Desymmetrization, 309–310
 Enantiotopic Group Differentiation, 612
 Enzymatic, Dynamic Kinetic Resolution, 280–284
 Kinetic Resolution, 57, 488–489
 Planar Chiral DMAP Analog, 57
Acylation, C-Acylation, 4
 Solvent Effect, 15
Acylation, Propargylic Alcohol, 56–57
 Planar Chiral DMAP Analog, 57, 72
Acylation Catalyst, 260–262
 Enzymes, with DKR, 283
Acylation of Phenols, in Desymmetrization of Meso Bisphenols, 310
Acyl-DMAP complex, 56–57
Additives, 15
 Achiral, 629–630
 Amines, 207
 Autoinduction, in Diels–Alder, 364
 Diels–Alder Reaction, 629–630
 Impact on Direct Aldol, 366
N-Methylimidazole, with Proline, 407
AD-mix, 248; see Dihydroxylation
Alanine, 578
ALB Catalysts; see Heterobimetallic Catalysts, Al, Li
Alcohol
 Synthesis of, 343–347
 Via Kinetic Resolution, 612
Alcohol, Chiral, in Aldehyde Alkylation, 220–223
Alcohol, from Aldehyde
 Alkyl Lithium, 17
 Diorganozinc, 2–4, 7–8, 381–382, 469–470, 480, 586, 589, 600
 Grignard, 17
Alcohol, from Ketone, Reduction, 51, 201–204, 379–381, 556–557
Alcohol, Propargylic
 Reduction, 556–557, 568–569, 572–573
 Via Kinetic Resolution, 57
Aldehyde, Allylation; see Allylation
Aldehyde, from α,β -Unsaturated Aldehyde, Transfer Hydrogenation
Aldehyde, Hydrocyanation; see Hydrocyanation
Aldehyde, Via Hydroformylation, 12–14, 99–100, 553
Aldehyde, β -Chiral Additions, 430–431
Aldehyde Dimerization, Via Aldol with Proline, 394–395
Aldehydes vs. Ketones, Binding to Lewis Acids, 389
Aldol Reaction, 393–394
 Aldolase, 377–378
 Atropisomer Formation, 627
 Axial Chirality, 627
 Bifunctional Catalysts, 179–183, 386–387
 Boron Enolate, 450–451
 Desymmetrization, 52, 67
 Diastereoselection, 428–429
 Dinuclear Zinc Catalyst, 364–366
 Direct, Intermolecular, 8–9, 73–74, 572–574
 Double Diastereoselective, 572–574
 Dynamic Kinetic Resolution, 282–283
 Enantioface Differentiation, 627
 Glycine Imine Enolates, 78
 Hajos–Parrish–Eder–Sauer–Weichert Reaction, 52, 67, 392–393
 Heterobimetallic Catalyst, 73–74, 418–419, 572–574
 In a Multistep Reaction, 463–466, 475–477
 Intramolecular, 52, 67
 In a Multistep Reaction, 471–472, 489–490
 With Proline, 393–394
 Isocynoacetates, 179–183
 Mukaiyama, 178, 340
 α -Benzyloxyaldehyde with Silyl Ketene Acetals, 35–38, 601
 Comparison to Direct Aldol Reaction, 418–420
 Copper Catalysts, 6, 16, 35–38, 442–444, 601, 606, 624–625, 631
 Diastereoselection, 631
 1,2-Diketones with Silyl Ketene Acetals, 606, 631
 Double Diastereoselection, 442–444
 Enantioface Differentiation, 624–625
 Energy Diagram, 340
 α -Ketoesters with Silyl Ketene Acetals, 6
 Nonlinear Effects, 340
 Phosphoramidate Catalysts, 47–50
 Regioselection, 606, 631
 Solvent Effect, 16
 Synthesis of Carbohydrates, 395
 Temperature Effects, 6
 Tin Catalysts, 606, 631
 Titanium Catalysts, 37–38

- Aldol Reaction (*cont.*)
 Trichlorosilyl Enolates, 48
 Vinyllogous Silyl Ketene Acetals, 49
 Phase-Transfer Catalysis, 184–187
 Proline-Catalyzed, 8–9, 52, 67, 393–394, 627
 Solvent Effect, 16
 Stoichiometric, 450–452
 Synthesis of Epothilone, 572–574
 Synthesis of Fostriecin, 572–573
 Triple Diastereoselection, 450–451
 Vs. Mannich Reaction, Chemoselection, 607–608
- Aldolase, in a Multistep Reaction, 475–477
- Aldolase, Types I and II, 377–378
- Alkaloids
 Psycholeine, 319–320, 566–567
 Quadrigemine C, 319–320, 566–567
- Alkene Addition, *Re* vs. *Si*, 598
- Alkene Diboration; see Diboration
- Alkene Metathesis; see Metathesis
- Alkoxides, in Bifunctional Catalysis, 378–382
- Alkylation, Diazoesters, Imines, 70
- Alkylation, of Aldehydes
 Alkyl Lithium, 17
 Amino Alcohol Catalysts, 343–347
 Bis(Sulfonamide)Ti Catalysts, 142
 Diorganozinc, 2–4, 7–8, 381–382, 469–470, 480, 586, 589, 600
 Grignard, 17
 In a Multistep Reaction, 480
 Mechanism with Titanium Catalysts, 336
 Nonlinear Effects, 343–347
 Solvent Effect, 15
 TADDOL Complexes as Catalysts, 136
- Alkylation, of Anhydrides
 Desymmetrization, 621–622
 Enantiotopic Group Differentiation, 621–622
- Alkylation, of Enals, in a Multistep Reaction, 469–471
- Alkylation, of Enolates, PTC Catalysis, 78–79
- Alkylation, of Enones
 Dialkyl Zinc, 469–471
 In a Multistep Reaction, 469–470
- Alkylation, of Imines
 Diazoesters, 70
 Umpolung, 70
- Alkylation, of α -Iminoesters, in a Multistep Reaction, 472–474
- Alkylation, of α -Ketoesters, 607–608
- Alkylidene Cyclohexanes
 Axial chirality, 586–588
 Generation of, 616–617
- Alkyne Cross Coupling, 484–485
- Allenes, Axial Chirality, 586–588
- Allenes, Generation of, 616–617
- Allenes, Via Chirality Exchange, 603
- Alleve, Synthesis of, 25
- Allose, Synthesis of, with Proline, 397
- Allyl, Via S_N2' Displacement, 459–460
- Allyl Amine, Via π -Allylation, 102, 554, 555
- Allyl Azide, Via π -Allylation, 102
- Allyl Ether, Via π -Allylation, 554
- Allyl Indium, 473–474
- Allyl Phenol, Via π -Allylation, 571–572
- Allyl Sulfonyl, Via π -Allylation, 102
- Allyl Trichlorosilanes, 353–354
- α -Allylation
 Aldehydes, 56
 SOMO Catalysis, 56
- Allylation
 Bifunctional Catalysts, 401
 Conformationally Dynamic Ligands, 152–153, 155–156
- Allylation, C–C, C–N, C–O, C–S Bond Formation, 325
- Allylation, Mechanism, 322
- Allylation, of Aldehydes, 49, 435
 Catalyzed by Lewis Bases, 352–355
 1,4-Diastereoselection, 435
 Double Diastereoselective, 572–573
 In a Multistep Reaction, 473–474
 Synthesis of Fostriecin, 572–573
- Allylic Alcohols
 From Allylic Epoxides, 266–267
 Hydrogenation, 195
 Synthesis of, Isomerization of Meso Epoxides, 349–352
 Via Elimination, 74
 Via Enal Alkylation, 469–471
 Via Epoxide Elimination, 74
 Via Sharpless–Katsuki Asymmetric Epoxidation, 242–246
- Allylic Diesters, in Desymmetrization, 323–325
- Allylic Epoxides, Ring Opening with Organozinc Reagents, 266–267
- Allylic Substitution
 Copper Catalysts, 459–460
 Desymmetrization, 321–322
 In a Multistep Reaction, 459–460
- Allylsilanes, 56, 572–573
 Aldehyde Allylation, 352–355
 Carbonyl Addition; see Allylation
 Synthesis of, 284–286
- Aluminosilicates, Zeolites, 506–508
- Aluminum Catalysts, 196
 Aldehyde Hydrocyanation, 387–388
 Bifunctional Catalyst, 558–559
 BINOL Derivative Complex, 32, 558–559
 Binolate, [2+2] Cycloadditions, 411–412
 Conjugate Addition of Cyanide, to Unsaturated Imides, 405–406
 Cyclophane Ligand, [2+2] Cycloadditions, 411–412
 Diels–Alder Reaction, 41, 362–364
 Metal–Organic Coordination Networks, in Conjugate Additions, 519–520
 Salen Complex, Conjugate Addition of HCN, 405
 Silylcyanation, 558–559
 Synthesis of Epothilone, 558–559
 Vaulted Biaryl Complex, 41
- Amidinium, pK_a , 67
- Amidocarbonylation, η^2 -Coordination, 94
- α -Amination, 53
 Regioselection, 606–607

- Amine Catalysts
 - Diamine, Enolate Protonation, 71
 - Lewis Base, 50, 53, 54, 71
 - Pyrrolidine Derivative
 - Conjugation Addition, 53
 - Hetero-Diels–Alder Reaction, 54
 - Triamine, Enolate Protonation, 50
- Amines, Achiral Additives, 207
- Amines, Via Hydroamination, 103
- Amines, Via Kinetic Resolution of Imines, with
 - Hydrosilylation, 246–247
- Amino Acid Derivatives
 - Synthesis of, 275, 278
 - Via Dynamic Kinetic Resolution, 279
- Amino Acids
 - 2-Naphthol Oxidation, 536–538
 - Proline, in Nonlinear Effects, 355–357
 - Synthesis of, 184–187
 - Tryptophan, 176–178
- Amino Alcohols, Nonlinear Effects, 343–347
- Amino Ketones, Synthesis of, Via
 - Aza–Morita–Balis–Hillman Reaction, 400
- Amino Phosphine Ligands, Cross-Coupling, in DKR, 284–286
- Amino Zinc Alkoxide, Aldehyde Alkylation, 2–4, 7–8, 337, 469–471, 600
- α -Amino Acid
 - Cyclopropanation Catalyst, 81–82
 - From Enamide, Hydrogenation, 9–11, 25–26, 98–99, 435–436
 - From Glycine Imine Enolate, 78–79, 446–447
 - Synthesis of, 9–11, 25–26, 67, 78–79, 98–99, 184–187, 435–436, 446–447, 457–459, 472–473, 480–481, 485–486, 551, 586, 602, 609–610, 623
 - Via Alkylation, 78–79
 - Via Anhydride Methanolysis, 76–77
 - Via Hydrogenation, Enamide, 9–11, 25–26, 98–99, 435–436, 457–459, 480–481, 551, 586, 602, 623
 - Via Kinetic Resolution, 76–77
 - Via Phase-Transfer Catalysis, 78–79, 446–447, 609–610
 - Via β -Lactam Cleavage, 485–486
- β -Amino Acid, Synthesis of, 485–486
- β -Amino Acid Derivatives, Chromatographic Resolution, 333
- β -Amino Alcohol
 - In Aldehyde Alkylation, 2–4, 7–8, 469–471, 600
 - Via Ketone Reduction, 560–561
- β -Amino Carbonyl Compounds, Synthesis of, 420–421
- α -Amino Ketone, Via α -Amination of Ketones, 606–607
- β -Amino Ketone, Via Mannich-Type Reaction, 68, 608
- α -Aminonitrile, Via Imine Hydrocyanation, 611
- α -Aminoxylation, Under Heterogeneous Conditions, 355–357
- Amplification, 478–479, 482–483, 563–567, 615
- Anhydrides
 - Alcoholysis, 264–266
 - Hydrolysis, 264–266
 - Kinetic Resolution, 76–77
 - Methanolysis, 76–77
 - Parallel Kinetic Resolution, 264–266
 - Ring Opening, 264–266
- Anilino Oxazoline
 - Chromium Catalyst, 450–452
 - Nozaki–Hiyama–Kishi Reaction, 450–452
- Anion Capture
 - Immobilization Method, 527–529
 - With Triflates, 527–529
- Ansa Metallocenes
 - Catalysts, 126
 - Ethylene-1,2-Bis(H^5 -4,5,6,7-Tetrahydro-1-Indenyl), EBTHI, 126
 - Imine Reduction, 126
 - In Hydrosilylation of Imines, Kinetic Resolution *aR*, 586–587
- Arene Complexes, as Catalysts, 149
- Arrhenius, 6
 - Equation, 11
- aS*, 586–587
- Aspartic Acid, 554–555
- Asymmetric Activation
 - Of Achiral Catalysts, 223–227
 - Of Enantioenriched Catalysts, 205
 - Of Racemic Catalysts, 198, 200
- Asymmetric Allylation, in Dynamic Kinetic Asymmetric Transformation, 287, 291
- Asymmetric Amplification; see Amplification
- Asymmetric Catalysis
 - Definition, 2
 - With Unresolvable Ligands, 212–216
- Asymmetric Complexation; see Complexation
- Asymmetric Deactivation; see Deactivation
- Asymmetric Diminution; see Diminution
- Asymmetric Substitution; see Substitution
- Atropisomeric Amides, 588, 616
- Atropisomeric Amides, Kinetic Resolution via
 - Dihydroxylation, 247–248
- Atropisomeric Biaryls, 92, 579, 587–588
- Atropisomeric Conformations, 151
- Atropisomeric Ligands, 154
- Atropisomerism, Definition, 579
- Atropisomerization, 23, 211
- Atropisomers
 - BIPHEN, 213
 - Generation of, 614–616
 - Via Desymmetrization, 320–321
- Autocatalysis, 197, 357–361
- Autocatalysis, with Nonlinear Effects, 357–360
- Autoinduction, 361–369
 - With Non-Enantiopure Catalysts, 366–367
- Axial Chirality, 586–588
 - Generation of, 614–618
 - Via Desymmetrization, 316
- Azadiene, Asymmetric Metal Complexation, 618
- Aza–Morita–Baylis–Hillman Reaction, 399
- Azetidinone, Industrial Synthesis of, 274
- β -Azido Alcohol, Via Epoxide Opening, 448–449

- Aziridination, 87
 Aziridination, with Copper Catalysts, 156–157
 Azodicarboxylates, in Amination of Aldehydes, 396
- B**
- Back Bonding, 93–94
 Background Reaction, 199
 Absence, 2–4
 Catalyzed, 6, 9, 18
 Uncatalyzed, 17
 Baeyer–Villiger, 418–419
 Bait-and-Switch, in Epoxide Desymmetrization, 299–300
 Bark Beetle Pheromone, 587
 BBMPP
 Enamide Hydrogenation, Temperature Effect, 11
 Rhodium Complex, 11
 Benazepril, ACE Inhibitor, from Platinum
 Hydrogenation, 522–524
 Benzofuran, Via Wacker Reaction, 96, 628
 Benzopyran, Via Wacker Reaction, 460–461
 Benzoylquinine, [2+2] Cycloadditions, Nucleophilic Catalysts, 409–413
 Berry Pseudorotation, 584
 Biaryl Formation
 Chirality Exchange, 604
 [2+2+2] Cycloaddition, 105–106
 Via Kumada Coupling, 615
 Via Oxidative Coupling, 484–485, 562, 614–615
 Via Suzuki Reaction, 92–93, 614, 615
 Biaryl Phosphine, Synthesis of, 321
 Biaryls
 Axial chirality, 586–588
 Via Desymmetrization, 320–321, 619
 Bifunctional Catalysis, 9–10, 67, 558–559, 572–573, 607
 Interdependent, 386–402
 Intramolecular, 378–385
 Bifunctional Catalysts
 Addition to Aldehydes, 381–382
 Addition to α -Ketoester, 390–392
 Aldol, 179–183, 386–387
 Allylation, Relative Rates, 403
 Allylic Alkylation, 401–403
 Aza–Morita–Baylis–Hillman Reaction, 399
 Charge–Charge Interactions, 386–387
 Counterion Dependency, 403
 Cross–Aldol Reaction, with Proline, 393–394
 Dependent, 376
 Dual Catalysts, 404
 Electronically Coupled, 378–382
 Epoxide Desymmetrization, with Zirconium, 299–300
 Ferrocene-Based Ligands, Aldol, 386–387
 Hajos–Parrish–Eder–Sauer–Wiechert Reaction, 52, 67, 392–393
 Hydrogen Bonding in, 382–386
 Indium/Nucleophilic Catalysts, [2+2] Cycloadditions, 411–412
 Lanthanides, 405–406
 Lewis Acidic and Basic Groups, 387–390
 Lewis Acid–Brønsted Base Catalysts, Aldol, 386–387
 Lewis Base–Lewis Base, 407–408
 Mechanism
 Ketone Reduction, 385
 With Proline, 395–396
 Morita–Baylis–Hillman Reaction, 399
 Proline, 392–398
 Reduction of Imines, Ruthenium Catalysts, 382–386
 Reduction of Ketones
 Ruthenium Catalysts, 382–386
 With CBS Catalyst, 379–381
 (Salen)CoX Complexes, 238–239
 Bifunctional Enzymes, Aldolase, 377–378
 BINAP, 579
 Allylation of Aldehydes, 572–573
 π -Allylation, 103, 616–617
 Conformation, 129–130
 Conjugate Addition, 465–466, 489–490
 [5+2] Cycloaddition, 105
 Heck Reaction, 98, 318, 566–567
 Hydrogenation, 194
 Alkynyl Ketone, 568–569
 Allyl Alcohol, 551, 568–569, 605
 α -Amino Ketone, 560–561
 Enamide, 480–481
 α -Hydroxy Ketone, 551
 β -Ketoester, 480–481, 551, 626–627
 α,β -Unsaturated Acid, 551
 Hydrometallation, 103
 Isomerization, 433, 552
 Ketone Reduction, 201–204, 273–278
 Kinetic Resolutions, of Enynes, 250–252
 Palladium Complex, 95, 98, 103, 566–567, 616–617
 Rhodium Complex, 105, 433, 465–466, 480–481, 489–490, 552
 Ruthenium Complex, 551, 560–561, 568–569, 605, 626–627
 Silver Complex, 572–573
 Stereoview, 131
 Wacker Reaction, 95
 BINAP Derivatives, Ketone Reduction, 382–386
 BINAPHOS, Rhodium Complex, Hydroformylation, 99–100, 553
 Binaphthalene, PTC Catalysts, 78–79, 446–447, 581
 Binaphthol; see BINOL
 1,1'-Binaphthyl, 579
 Binaphthyl Bisoxazoline; see Bisoxazoline
 BINAPO, π -Allylation, Palladium Complex, 555
 BINOL, 215–216
 Aldehyde Alkylation, 335–336, 538–540
 Aldol Reaction, 73–74, 572–574
 Atropisomerization, 123
 Axial Chirality, 587
 Bifunctional, 387–388
 Conjugate Addition, 559
 Diels–Alder Reaction, 347–348, 629–630
 Enantiomer Self-Disproportionation, 334
 Ene Reaction, 34, 199–200, 306, 552

- BINOL (*cont.*)
- Two-Directional, 478
 - Epoxide Rearrangements, 249–250
 - Henry Reaction, 479
 - Heterobimetallic Catalyst, 73–74, 413–422, 463–465, 479, 553, 558–559, 572–574, 584–585
 - Hydrocyanation, 479, 558–559
 - In Metal–Organic Coordination Networks, 519–520
 - Lanthanide Catalysts, 206–207
 - Michael Reaction, 463–465, 553
 - Morita–Baylis–Hillman Reaction, 399–400
 - Mukaiyama Aldol Reaction, 37–38
 - Nitroaldol, 479
 - Organocatalyst, 68–69
 - pK_a , 67
 - Racemization, 123
 - Titanium Complex, 34, 37–38, 306, 335–336, 478, 552
 - Ytterbium Complex, 629–630
 - λ vs. δ Arrangement, 584–585
- BINOL Derivatives
- 3,3'-Ar, Metathesis, 91
 - Aldehyde Alkylation, 480
 - Aluminum Complex, 32, 558–559
 - As Bifunctional Catalysts, 399–400
 - Bifunctional Catalyst, 558–559
 - Hetero-Diels–Alder Reaction, 480
 - Lewis Acid from, 32
 - Metathesis, 90–91
 - Molybdenum Catalyst, 90–91
 - Morita–Baylis–Hillman Reaction, Hydrogen Bonding Catalyst, 68–69
 - 3,3-Ph₂, 217–219
 - Silylcyanation, 558–559
 - 3,3'-SiPh₃ Substituted, 196
 - Synthesis of, 484–485, 562, 614–615
 - With Pendent Groups, 558–559
 - Zinc Catalyst, 480
- BINOL Phosphoramidite, 459–460, 464–465, 467–468
- BINOL Phosphoric Acid, 69–70, 80–81
- Conjugate Addition, 80
 - Counterion Catalysis, 80–81
 - Cycloisomerization, 81
 - Diazoester Nucleophile, 70
 - Imine Addition, 70
 - pK_a , 67
 - Transfer Hydrogenation, 80
- BINOLate (BINOL dianion); see BINOL
- BINOL-Based Lewis Acids, 123
- BINOL-Phosphine Catalyst, Organocatalysis, in Aza-Morita–Baylis–Hillman Reaction, 401
- BINOL-Pyridine Derivatives, Organocatalysis, in Morita–Baylis–Hillman Reaction, 399–400
- Biotin, Synthesis of, 444–445
- BIPHEN, 210
- BIPHEP
- Bis(Phosphine), 210–216
 - Copper Complex, Reduction of Ketones, 51
- BIPHEPHOS, Rhodium Complex, Enamide Hydrogenation, 458–459
- 1,4-Bis(Acyloxy)-2-Ene, in Desymmetrization, 323
- Bisimine, Zinc Catalyst, Hetero-Diels–Alder Reaction/Aldehyde Alkylation, 480
- BISOX, 582–583
- Bisoxazoline, 118
- π -Allylation, Stereoselection, 122–123
 - α -Amination, 468–469
 - Aziridination, 156–157
 - Conjugate Addition, 468–469
 - Copper Complex, 6, 38–39, 44, 119, 439–444, 462, 468–469, 481–482, 487, 606, 625–626, 629–631
 - Cyclopropanation, 481–482
 - Diels–Alder Reaction
 - Double Diastereoselection, 439–441
 - Intermolecular, 44, 629–630
 - Intramolecular, 44
 - Hetero-Diels–Alder Reaction, 38–39, 462, 487, 625–626
 - Mukaiyama Aldol Reaction, 6, 606, 631
 - Double Diastereoselection, 442–444
 - Palladium Complex, 96, 460–461
 - Semicorrin, 118
 - Wacker Reaction, 96, 460–461
- Bisphosphines, 179, 185
- DIOP, 314–316
 - In π -Allylation, 401–403
 - In Dynamic Kinetic Asymmetric Transformation, 288
- Bisphosphoramidates, Allylation of Aldehydes, 353–354
- Bispidine, Asymmetric Deprotonation, 75
- Bite Angle, Bidentate Phosphines, 322
- Boiling Point, Racemate vs. Enantioenriched, 331
- Boltzmann Distribution, Bisoxazoline, Spiro, 7–9
- Boron Catalysts
- CBS Reductions, 379–381
 - Diels–Alder Reaction, 41–42
 - Mukaiyama Aldol Reaction, 178
 - Oxazaborolidines, 379–381
- Box; see Bisoxazoline
- BOXAX; see Bisoxazoline, Binaphthyl
- BPPM
- Enamide Hydrogenation, Temperature Effects, 11
 - Rhodium Complex, 11
- β -Bromohydrin, Synthesis of, 299–300
- Brønsted Acid Catalysis
- α -Amination of Ketones, 606–607
 - Asymmetric Protonation, 70–73, 567–568
 - BINOL, 67
 - BINOL Derivative, 69
 - BINOL Phosphoric Acid, 67, 70
 - Chiral Proton Source, 71, 72
 - Concepts, 66–67
 - Diamine, 71
 - Diels–Alder Reaction, 69
 - Hetero-Diels–Alder Reaction, 69
 - α -Hydroxy Acid, 606–607
 - α -Hydroxylation of Ketones, 606–607
 - Lewis Acid Assisted, 71–72, 567–568
 - Mannich-Type Reaction, 68

- Brønsted Acid Catalysis (*cont.*)
 Morita–Baylis–Hillman Reaction, 69
 Multifunctional Catalysts
 Aldol Reaction, 67
 Diketopiperazine, 67
 Hydrocyanation, 67
 Proline, 67
N-Acyl Imine Addition, 70
 p*K*_a Values, 67
 Planar Chiral DMAP, 71–72
 Polycyclization, 72, 567–568
 Proline, 67
 Quininium, 67
 TADDOL, 67, 69, 606–607
 Umpolung Addition, 70
 Urea, 67–68
 Vs. Nucleophilic Catalysis, 72–73
 Brønsted Base Catalysis, Multifunctional Catalysts,
 73–74
 Brook Rearrangement
 [1,2], 60–61
 Retro-[1,4], 60–61
 Bryostatins 7, Synthesis of, with Heterobimetallic
 Catalysts, 419
 Butenolides, Dynamic Kinetic Asymmetric
 Transformation with, 287–288
tert-Butyl Hydroperoxide, in Sharpless–Katsuki
 Asymmetric Epoxidation, 242–246
- C**
 C₁ Symmetry, 27
 C₂-Symmetric, PTC Catalysts, 78–79, 446–447, 581
 C-Acylation, of Silyl Ketene Acetals, 4
 Cahn–Ingold–Prelog Convention, 580, 586
 Callipeltoside A, Synthesis of, 571–572
 CAMP, *P*-Chirogenic Phosphines, 582
 Capnellene, Toward the Synthesis of, 318
 Carbapenems, Industrial Synthesis of, 274
 Carbene Catalysts, Stetter Reaction, 59
 Carbene Intermediates, in Cyclopropanation,
 256–257
 Carbene, Rhodium Catalyst, 304
 Carbenoids, in C–H Insertions, 303–306
 Carbohydrates
 Synthesis of, with Proline, 394
 Synthetic Precursors, 553
 Via Dihydroxylation, 475–477
 Via Organocatalysis, 397
 Carbometalation, Enone, in a Multistep Reaction,
 489–490
 Carbon, Centrochirality, 578–580
 Carbonyl Addition, *Re* vs. *Si*, 598
 Carbopalladation, 306–307
 In a Multistep Reaction, 468–469
 Carboxyanhydrides, Alcoholysis, Dynamic Kinetic
 Resolution, 279
 Cascade Processes; see Domino Processes
 Definition; see Multistep Asymmetric Catalysis,
 456
 Catalyst Compatibility, 458–460, 481–483, 490
 Catalyst Heterogenization, 497–508
 Catalyst Interactions, with Supported Catalysts,
 502–503
 Catalyst Loading, on Silica Support, 536–538
 Catalyst Optimization
 Activation and Deactivation Strategies, 192–206
 With Achiral Additives, 206
 Via Hydrogen Bonding, 208–209
 With Ligands with Chiral Conformations, Via
 Hydrogen Bonding, 216–219
 Catalyst Recycling, 542
 Ionic Exchange Supported, 525
 Silica-Supported Epoxidation, 505–506
 Silica-Supported HKR, 502–503
 Catalyst Supports, an Overview, 498–508
 Catalyst–Surface Interactions, 536–538
 Catalytic Cycles, Competing, 19
 Cation Exchange Resin, 524–526
 CBS Reduction, of Ketones, 379–381
 C-Chirogenicity, 578–580
 Central Chirality; see Centrochirality
 Centrochirality, 580–585
 Carbon, 578–580
 Generation of, 614
 Metals, 583–586
 Nitrogen, 581
 Phosphorous, 582
 Silicon, 580–581
 Sulfur, 582–583
 Centrosymmetric Bis(Epoxyde), Desymmetrization,
 311
 C–H Activation, 258–259
 Desymmetrization, 300–301
 Radical Intermediates, 300–301
 C–H Activation/Cope Rearrangement, 258–259
 C–H Insertion
 Asymmetric Amplification, 564–565
 C–C Bond-Forming Reactions, 303–306
 Desymmetrization, 564–565, 619–621
 Diastereoselection, Simple, 619–621
 Double Diastereoselection, 441–442, 449–450
 Enantioface Differentiation, 619–621
 Enantiotopic Group Differentiation, 619–621
 Group Transfer Catalysis, 89–90
 Intramolecular, with Metal Carbenoids,
 303–306
 Regiocontrol, 449–450
 Rhodium Catalyst, 89–90, 441–442, 449–450,
 564–565, 619–621
 With Metal Carbenoids, 303–306
 Charge Transfer Complex, 177
 Charge–Charge Interactions, 179
 In Bifunctional Catalysis, 386–387
 Charge-Transfer Interactions, Ketone Reduction,
 173
 Chelation
 α -Chiral Carbonyl, 430
 β -Chiral Carbonyl, 430–431
 Chemoselection, Definition, 607–608
 Chemoselectivity, Additions to α -Ketoester, with
 Bifunctional Catalysts, 390–392

- α -Chlorination
 - Imidazolidinone Catalyst, 53–54
 - Of Aldehydes, 53–54
- α -Chloroaldehyde, Via α -Chlorination, 53
- α -Chloroepoxide, Via Kinetic Resolution, 557–558
- Chirality, Definition, 578
- Chirality Exchange, Definition, 603–604
- Chirality Transfer; see Chirality Exchange
- Chiraphos, Enamide Hydrogenation
 - Curtin–Hammett, 26
 - Temperature Effect, 11
 - π -Coordination, 99
- Chiraphos, Rhodium Complex, 11, 26, 99
- ChiroCLEC-PC, 260
- Chirons, 556
- Chlorohydrins, Via Wacker Reaction, 94–95
- Chromatography
 - Of Enantioenriched Compounds, 333–334
 - Separation of Diastereomers, 333
- Chromium Catalysts
 - Anilino Oxazoline Complexes, 450–452
 - Diels–Alder Reaction, 41–42
 - Double Diastereoselection, 447–449
 - Epoxide Desymmetrization, 300
 - Epoxide Opening
 - Azide, 448–449
 - Bifunctional Catalysts, 404
 - Hetero-Diels–Alder Reaction, 34–35, 447–449, 556–558
 - Nozaki–Hiyama–Kishi Coupling, 450–452
 - Pinacol Coupling, 624
 - Salen Complexes, 448–449, 557–558
 - Salen Complexes, Nonlinear Effects, 338–339
 - Schiff Base Complexes, 34–35, 41–42, 447–449, 556–557
 - Sulfonamide Oxazoline Complexes, 450–452
 - Synthesis of FR901464, 556–557
 - Synthesis of Muconin, 557–558
 - TBoxH Complexes, 624
 - Triple Diastereoselection, 450–452
- C–H– π -Interactions, 168, 169
 - Computation, 170
 - Ketone Reduction, 173–174
 - Transfer Hydrogenation, 170, 173
- Cilastatin, Synthesis of, vii
- Cinchona Alkaloids, 67, 184–187, 278, 580–581, 592
 - Anhydride Alcoholysis, 76
 - Brønsted Base Catalyst, Enolate Alkylation, 76
 - Catalyzed Synthesis of β -Lactams, 535–536
 - [2+2] Cycloaddition, 54–55, 485–486, 552
 - Dihydroxylation, 19–20, 83, 247–248, 445–446, 475–477, 481–482, 552, 559–560, 565–566, 605, 616, 628–629
 - Hydrogenation, 522–524
 - Hydrogenation, α -Ketoester, 551
 - In a Multistep Reaction, 485–486
 - Ion-Pair Catalyst, Enolate Alkylation, 78, 581, 610, 613
 - Kinetic Resolution, 76, 264–266
 - β -Lactam Formation, 54–55, 485–486
 - β -Lactone Formation, 552
 - Lewis Base Catalyst, 54–55, 485–486, 552
 - Ligand, Platinum Catalyst, 551
 - Linked, 19–20, 76, 83, 445–446, 475–477, 552, 559–560, 565–566, 605, 616, 628–629
 - Organocatalyst, Supported, 540–541
 - Osmium Complex, 19–20, 83, 445–446, 475–477, 481–482, 552, 559–560, 565–566, 605, 616, 628–629
 - pK_a , 67
 - PTC Catalyst, Enolate Alkylation, 78, 581, 610, 613
 - Supported Catalysts, 522–524
- Cinchonine, 184–187
- cis*-Decalin, 579
- Citreoiviridin, Synthesis of, Via Desymmetrization, 563
- Citronellal, Synthesis of, 80, 433
- Claisen Rearrangement, Copper Catalyst, 38–39
- C_n Space Groups, 578
- C_n -Rotation Axis, 594, 596
- [Co(H₂N–CH₂–CH₂–NH₂)₃]³⁺, 584–585
- [Co(NH₃)₂(H₂O)₂(CN)₂], 583–584
- Cobalt Catalysts
 - Alkylation of Aldehydes, 586
 - Dynamic Kinetic Resolution, 284
 - EDTA Complex, 586
 - Epoxide Opening, 236–237, 311–312
 - Desymmetrization, 311–312
 - Epoxide Opening, with Water, 552, 557–558
 - Kinetic Resolution of Epoxides, Bifunctional Catalysts, 404
 - Large Scale, 552
 - Salen Complexes, 552, 557–558
 - Supported Complexes, Epoxide Opening, 501–503
 - Synthesis of Muconin, 557–558
- Colloidal Catalysts, Palladium, in π -Allylation, 515–516
- Colloids, 508–509
- Colombiasin A, Synthesis of, 258
- Complexation, Asymmetric, 618
- Concentration Effects, 16–17
- Concentration Effects, Enantiomeric Excess in
 - Aldehyde Allylation, 352–355
- Concurrent Processes, 484–485, 485–486, 488–489
 - Definition, 456
- Conduritol B, Synthesis of, 22
- Confinement Effects
 - Impact on Enantioselectivity, 533–535
 - With Supported Catalysts, 533–535
- Conformational Isomers; see Atropisomerism
- Conformations, Chiral
 - Atropisomers, 210
 - Bis(Phosphine), 210–216
 - In Meso Ligands, 216
- Conjugate Addition
 - Allenes, Formation, 616–617, 619–621
 - Amines to Enones, 420–421
 - Aryl Boronic Acid, 465–466
 - Bifunctional Catalysts, 405–406, 420–421
 - Boron Catalyst, 42

- Conjugate Addition (*cont.*)
Copper Catalyst, 14, 464–465, 467–469
Diazo Compounds, 468–469
Diorganozinc, 464–465, 467
Enol Ether, 42
Enolate, 53
Enones, 506–508, 519–520
Epothilone, Synthesis of, 558–559
Heterobimetallic Catalyst, 558–559
Hydrogen Cyanide, with Bifunctional Catalysts, 405
In a Multistep Reaction, 464–469, 472–473, 489–490
Malonate, 468–469
Organocatalyst, 53, 59, 60–61, 78–79, 80
Parallel Kinetic Resolution, 489–490
PTC Catalysis, 78–79
Pyrrolidine Catalyst, 53
Rhodium Catalyst, 14, 465–466, 489–490, 616–617
Scandium Catalyst, 45
Silyl Ketene Acetals, 42, 45
Silyl Nitronate, 78–79
Stetter Reaction, 59
Temperature Effects, 14
Thiols, 558–559
Transfer Hydrogenation, 80
 α,β -Unsaturated Aldehydes, 78–79
 α,β -Unsaturated Amides, 60–61
 α,β -Unsaturated Ketones, 42, 59, 464–466, 467, 616–617
 α,β -Unsaturated Nitro, 53
Consecutive Processes; see Sequential Processes
Definition; see Multistep Asymmetric Catalysis, 456
Contact Ion Pair, in Phase-Transfer Catalysis, 184–187
Continuous Flow Processes, 497, 510–511
Coordination Polymers, 498
Cope Rearrangement, 258–259
Copper Catalysts, 120, 148, 266–267, 340
Allylic Substitution, 459–460
 α -Amination, 468–469
BIPHEP Complex, 51
Bisoxazoline Complex, 6, 38–39, 44, 439–444, 462, 468–469, 481–482, 487, 625–626, 629–631
Claisen Rearrangement, 38–39
Complex Substrates, 561–562
Conjugate Addition, 14, 464–465, 467–468–469
Cyclopropanation, vii, 481–482
Diaza-*cis*-Decalin Complex, 484–485, 561–562, 614–615
Diels–Alder Reaction
Double Diastereoselection, 439–441
Intermolecular, 18–19, 44, 629–630
Intramolecular, 44, 462
Glaser–Hay Coupling, 484–485
Hetero-Diels–Alder Reaction, 38–39, 462, 487, 625–626
In a Kinetic Resolution, 487
In a Multistep Reaction, 459–460, 462, 467–468, 481–482, 484–485, 487
Mukaiyama Aldol Reaction, 6, 35–38, 601, 624–625, 630–631
Double Diastereoselection, 442–444
Regiocontrol, 606
Oxidative Biaryl Coupling, 484–485, 561–562, 614–615
Peptide Complex, 467
Phosphino Peptide Complex, 14
Phosphoramidite Complex, 459–460, 464–465, 468
Pyridine Bisoxazoline Complex, 18–19, 35–38, 601, 624–625
Reduction of Ketones, 51
Schiff Base Complex, vii
 S_N2' Displacement, 459–460
Transesterification, 462
Counterion Catalysis
Anion, 68, 79–81
Cation, 77–79
Counterion Effects, 400
Cross Coupling, 284–286
Anhydride Alkylation, 621–622
Copper Catalyst, 484–485, 562, 614–615
Desymmetrization, 320–321
Kumada, 613, 615
Palladium Catalyst, 92–93, 484–485, 562, 614–615, 621–622
Phosphine Synthesis, 288–290
Suzuki, 92–93, 614, 619
Cross-Linked Polymers
Mass Transport, 497
Swelling, 497
Cross-Linking, Impact on Catalysis, 497
Cross-Linking Agents, 509, 510–511
Impact on Enantioselectivity, 510–511
Crossover Experiments, 36–37
Cryptophycin, 569–571
Crystal Packing, Racemate vs. Enantioenriched, 331
Curtin–Hammett, 25, 139, 177, 182
Dynamic Kinetic Asymmetric Transformation, Phosphination, 291
Enamide Hydrogenation, 98–99
Energy Diagram, 25
Equation, 25
 β -Cyano Imides, Synthesis of, from Unsaturated Imides, 405
 γ -Cyano- γ -Hydroxy- α -Amino Acids, Via Mannich/Hydrocyanation Sequence, 472–473
Cyanohydrin
From Aldehyde, 67, 479, 558–559
From Ketone, 572–573
Cyanosilylation, 558–559
[2+2] Cycloaddition, 43
Cinchona Alkaloid Catalyst, 54–55, 485–486, 552
In a Multistep Reaction, 485–486
 β -Lactam Formation, 54–55, 409–410, 485–486
Large Scale, 552
[2+2+2] Cycloaddition
Double η^2 -Coordination, 105–106
Iridium Catalyst, 105–106
[3+2] Cycloaddition, 43, 58

- [4+1] Cycloaddition
 - Allene with Carbon Monoxide, 104–105
 - η^4 -Coordination, 104–105
 - Rhodium Catalyst, 104–105
 - [4+3] Cycloaddition, 58
 - [5+2] Cycloaddition
 - Double η^2 -Coordination, 105
 - Rhodium Catalyst, 105
 - Cycloalkene, Via Metathesis, 90–91
 - Cyclobutanone
 - Via Wagner Meerwein Shift, 103
 - Via Parallel Kinetic Resolution, 263–264
 - Cycloheptene, [5+2] Cycloaddition, 105
 - Cyclohexanone
 - Via Michael/Aldol Sequence, 471–472
 - Via Diels–Alder Reaction, 68–69
 - Cycloisomerization
 - Chiral Counterion Catalysis, 80–81
 - Of Allenes, Gold Catalyst, 80–81
 - Of Cyclopropanes, Rhodium Catalyst, 105
 - Of Enynes, Kinetic Resolution, 250–252
 - Palladium Catalyst, 611
 - Cyclopentenone
 - [4+1] Cycloaddition, 104
 - Generation of, in Parallel Kinetic Resolution, 263–264
 - Cyclophane Ligands, with Aluminum, 411
 - Cyclophellitol, 22, 23
 - Cyclopropanation, 58, 87, 223
 - Copper Catalyst, vii, 481–482
 - Directed Electrostatic Activation, 81–82
 - In a Multistep Reaction, 467–468, 470–471, 481–482
 - In Parallel Kinetic Resolutions, 256–257
 - Intramolecular, 256–257
 - Large Scale, vii
 - Organocatalyst, 81–82
 - Substrate Directed, 432
 - To Cilastatin, vii
 - with an Ylide, 81–82
 - α,β -Unsaturated Aldehyde, 81–82
 - Cycphos
 - Enamide Hydrogenation, Temperature Effect, 11
 - Rhodium Complex, 11
 - Cytochrome P450, C–H Oxidations, 301
- D**
- δ , 584–585
 - δ -Hydroxy Ester, Via Mukaiyama Aldol Reaction, Vinylogous Silyl Ketene Acetals, 49
 - Δ , 584–585
 - Δ -[Na₃(THF)₆[(*R*)-BINOLate]₃La, 584–586
 - ΔG ; see Energy Difference
 - ΔG^\ddagger ; see Free Energy
 - ΔH^\ddagger ; see Enthalpy
 - ΔS^\ddagger ; see Entropy
 - DAIB
 - Aldehyde Alkylation, 2–4, 7–8
 - Zinc Complex, 7
 - DAIPEN
 - Hydrogenation, α -Aminoketone, 560–561
 - Ruthenium Complex, 560–561
 - DBU, Isomerization of Meso Epoxides, 349–352
de; see Diastereomeric Excess
 - Deactivation, of Racemic Catalysts, 192–198, 200
 - Decarboxylative Allylation, 24–25, 555
 - Dendrimers, as Supports, 513–515
 - Dendronized Catalysts, for Hydrogenation, 513–515
 - Denopamine, 560–561
 - Dependent Bifunctional Catalysts, 376
 - Deprotonation
 - Asymmetric, 73–76
 - Meso-Epoxides, 73–75
 - N*-Boc Pyrrolidine, 75–76
 - Diastereoselective, 429
 - Of Epoxides, 74
 - Desymmetrization, 298–325, 466–467
 - Acylation of Phenols, 310
 - Alcohol Phosphonylation, 621–622
 - Alkene Metathesis, 90–91
 - Alkylation of Aldehydes, 600
 - Anhydride Alkylation, 621–622
 - C–H Insertions, 303–306, 565, 619–621
 - Combined with Kinetic Resolution, 309–310, 320–321
 - Complex Natural Product Synthesis, 319–320
 - Dihydroxylation, 566
 - Dynamic Kinetic Asymmetric Transformation, 293
 - Enantiotopic Group Differentiation, 610
 - Generation of Atropisomers, 320–321
 - Heck Reaction, 567
 - Late-Stage Synthesis, 319–320
 - Multiple Stereocenters, To Establish, 313
 - Natural Product Synthesis, 308, 323–325
 - Intramolecular, Synthesis of Quadrigemine C, 319–320, 566–567
 - Intramolecular Aldol, 52, 67
 - Of Biaryls, 320–321
 - Of Centrosymmetric Bis(Epoxide), 311–312
 - Of Complex Substrates, 313, 567
 - Of Compounds with One Functional Group, 298–306
 - Of Dienes, Via Hydrosilylation, 316
 - Of Divinyl Carbinols, Via Sharpless–Katsuki Epoxidation, 312–313
 - Of Epoxides, Nonlinear Effects, 349–352
 - Of Meso Dienes, Via Heck Reaction, 317–318
 - Of Meso Diols, 313
 - Of Meso Epoxides, 73–75, 298–300
 - Of Meso Heterocycles, by Hydroxylation, 302–303
 - Of Meso Compound, 621–622
 - Of Oxabicyclic Alkenes, 306–308
 - Of Siloxydienes, Via Hydrosilylation, 314–315
 - Of Tetrahydrofuran, in C–H Hydroxylations, 302–303
 - Of Tetrahydropyran, in C–H Hydroxylations, 302–303
 - Quadrigemine, C, Synthesis, 319–320
 - Remote Stereocenters, 310
 - Ring-Closing Metathesis, Using Supported Catalysts, 512–513

- Desymmetrization (*cont.*)
 Sharpless–Katsuki Epoxidation, 562–564
 Suzuki Coupling, 618–619
 Wacker Reaction, 95–96
- Deuterium Labeling, C–H Hydroxylation,
 Desymmetrization, 303
- (DHQ)2PHAL; see Dihydroxylation
 (DHQD)₂PHAL; see Dihydroxylation
- Diamines
 Asymmetric Deprotonation, 75
 Asymmetric Protonation, 71
 DPEN, Ketone Reduction, 382–386
 Epoxide Elimination, 74
 Epoxide Rearrangement, 75
 Ketone Reduction, 382–386
- Diastereocontrol
 1,2-, 429–433
 1,3-, 430–433
 1,4-, 434–435
 1,5-, 434–435
 1,6-, 434
 1,7-, 434
 1,9-, 435
 1,23-, 435
 Allylic Strain, 431
 Axial, 435
 Centrochiral to Axial, 435
 Distal Stereocenters, 435–436
 Functional Groups; see Diastereoselection,
 Directed Reactions
 Diastereofaces; see Diastereotopic Faces
 Diastereomeric Catalyst Combinations, Dual
 Catalysts, 408
 Diastereomeric Catalysts
 In Ketone Reduction, 384
 Relative Rates, 201
 Diastereomeric Complexes, 217–218
 (Pybox)₂Cu²⁺, 343
 Diastereomeric Excess, Equation, 593
 Diastereomeric Interactions
 Giving Rise to Different Species, 334
 In Chemistry, 331–335
 Diastereomeric Ratio, Equation, 593
 Diastereomers
 Atropisomers, 213
 Definition, 592–593
 Diastereoselection
 Aldol Reaction with Proline, 397
 Definition, 601–602
 Diastereofacial Selectivity, 429
 Diastereotopic Group Selectivity, 429
 Directed Reactions, 432–434, 605
 Double, 436–450, 557, 563–567
 Additive Effects, 436–440
 Aldol Reaction, 572–574
 Allylation, 572–573
 Catalyst Control, 435–436, 444–448, 475, 478
 Catalyst Regiocontrol vs. Diastereocontrol,
 448–450
 C–H Insertion, 441–442, 449–450
 Diels–Alder Reaction, 439–441, 447–448
 Dihydroxylation, 445–446
 Energetic Analysis, 436–439
 Epoxidation, 569–571
 Epoxide Opening, 448–449
 Hydrogenation, 435–436, 444–445, 568–569,
 572–573
 Hydrosilylation, 616–618
 In Synthesis, 568–574
 Kinetic Resolution, 250–252, 441–442
 Matched, 428, 434, 436–450
 Mechanism Insight, 443–444
 Mismatched, 428, 434, 436–450
 Mixed Control, 442–443
 Mukaiyama Aldol, 442–444
 Nozaki–Hiyama–Kishi Reaction, 450–452
 Phase-Transfer Catalysis, 446–447
 Reaction Coordinate Diagrams, 438
 Substrate Control, 440–441
 π -Allylation, 571–572
- Internal Stereocontrol
 Deprotonation
 Ketone Alkylation
 Ketone Reduction, 428–429
 Torsional Control, 429
 Remote Stereocontrol, 434–436
 Simple, 428–436
 Aldol Reaction, 428–429
 Diels–Alder Reaction, 428–429
 Triple, 450–452
 Aldol Reaction, 450–451
 Catalytic, 450–452
 Nozaki–Hiyama–Kishi Reaction, 450–452
 Stoichiometric, 450–451
 With Chiral Substrates, Internal Stereocontrol,
 428–436, 475
- Diastereoselective Synthesis, Number of
 Stereoisomers, 553–554
- Diastereospecific, Definition, 602
- Diastereotopic, Definition, 594–595
- Diastereotopic Faces, Definition, 598–600
- Diastereotopic Groups
 Definition, 598–600
 Sulfonyls, 156–157
- Diaza-*cis*-Decalin, Copper Complex, Oxidative
 Biaryl Coupling, 484–485, 562, 614–615
- Diazo Compounds
 C–H Insertion, 89–90, 303–306
 Asymmetric Amplification, 564–565
 Double Diastereoselection, 449–450
 Enantiotopic Group Differentiation, 619–621
 Kinetic Resolution, 441–442
 Conjugate Addition, 69–70
 Cyclopropanation, *vii*
 Formation, 70
 Umpolung, 69–70
- Diazo Decomposition, in C–H Insertion,
 303–306
- Diazoesters
 Addition to *N*-Acyl Imines, 69–70
 Cyclopropanation, 223

- DIBAL-H, Hydride Source, Desymmetrization, 307–308
- Diborate, Via Alkene Diboration, 460–461
- Diboration, Alkene
In a Multistep Reaction, 460–461
Rhodium Catalyst, 460–461
- Dibromides, Via Wacker Reaction, 94–95
- 1,4-Dicarbonyl
Brook Rearrangement, 60–61
Umpolung Addition, 60–61
Via Anhydride Desymmetrization, 621–622
- 1,5-Dicarbonyl
Via Conjugate Addition, 42
Via Michael Reaction, 9–10, 553
- 1,4-Dicarbonyls, Formation, 56, 60
- Diels–Alder Reaction, 166–8, 176–8, 196
(Binolate)Ti Complexes
Achiral Additives, 629–630
Aluminum Catalyst, 41
Background Reaction, 18
Boron Lewis Acid, 41, 125, 166–168, 510–511
Chromium Catalyst, 34–35, 41, 447–448, 556–557
Copper Catalyst, 18, 38–39, 44, 120, 439–441, 462, 487, 625–626, 629–630
Counterion Effect, 18
Diastereoselection, 428–429, 431, 629–630
Diastereoselection, Simple, 630–631
Dipole–Induced–Dipole Interactions, 166, 176
Double Diastereoselection, 439–441
Electrostatic Interactions, 166
Endo vs. Exo, 630–631
Hetero, 34–35, 38–39, 54, 68–69, 196, 447–448, 462, 480, 487, 556–558
Double Diastereoselection, 447–448
Enantioface Differentiation, 625–626
In a Multistep Reaction, 462, 480, 487
- Imidazolidinone, 56–58
- Iminium Catalysis, 56–58
In a Multistep Reaction, 480, 487, 488–489
- Intramolecular, 44, 58
In a Multistep Reaction, 487, 488–489
- α -Ketophosphonates, 38–39, 625–626
- Kinetic Resolution, 487
- Methacrolein, 18, 68–69
- Molecular Orbital Diagram, 40
- Organocatalyst, 54
- Osmium Catalyst, 150
- Pyrrolidine Catalyst, 54
- Quinones, 41–42, 44, 125
- Ruthenium Catalyst, 150
- Solvent Effect, 15–16
- Supported Oxazaborolidinone Catalyst, 510–511
- Synthesis of (+)-Diepoxin σ , 126
- Synthesis of FR901464, 556–557
- TADDOL Catalyst, 68–69
- TADDOLate–Ti Catalyst, 136–143
- Titanium Catalyst, 15–16, 43, 136–143, 347–348
- α,β -Unsaturated Aldehyde, 41
- α,β -Unsaturated Ester, 41–42
- α,β -Unsaturated Ketones, 54, 56–58, 462, 487, 625–626
- α,β -Unsaturated Oxazolidinone, 15–16, 43–44, 629–631, 629–630
- Via Enamine, 54
- With 3,3'-DiphenylBINOL, 125
- With BINAPO, 150
- With Chiral Relay Catalysts, 147–148
- With Chiral Relay Substrates, 157
- Ytterbium Catalyst, 629–630
- Zinc Catalyst, 121
- (+)-Diepoxin σ , Synthesis of, 126
- Dihydrofuran
Via Heck Reaction, 98
Via Metathesis, 553
- Dihydropyran, Via Hetero-Diels–Alder Reaction, 34–35, 38–39, 54, 68–69, 447–448, 462, 487, 556–558, 625–626
- Dihydroxylation
Alkene, 19–20, 83–84, 247–249, 445–446, 481–482, 552, 565–566, 605, 616, 628–629
Atropisomer Generation, 616
Atropisomeric Amides, 247–249
Diastereocontrol, 431
Double Diastereoselection, 445–446
Enveloped Catalyst, 531–532
In a Multistep Reaction, 475–477, 481–482
Large-Scale, 552
Osmium Catalyst, 19–20, 83, 445–446, 481–482, 552, 559–560, 565–566, 605, 616, 628–629
Osmium Catalyst, Supported, 526
Pseudoenantiomers, 628–629
Regioselection, 605
Squalene, 565–566, 605
Supported Dual Catalysts, 540–541
Synthesis of Zaragozaic Acid, 559–560
- Diketopiperazine, Hydrocyanation, 67
- Dimeric Catalysts, 35
- Dimers of Dimers, Autocatalysis, 357–360
- Diminution, 337
- Dinuclear Catalyst, with Zinc, 364–366
- 1,5-Diol, Via Double Ene Reaction, 478
- Diols
Dynamic Kinetic Resolution, 281
Via Alkene Dihydroxylation, 19–20, 83–84, 445–446, 475–477, 481–482, 552, 559–560, 605, 616, 628–629
Via Epoxide Opening, 552, 557–558
Via Kinetic Resolution of Epoxides, 237–238, 501–503
Via Pinacol Coupling, 624
Via α -Hydroxylation/Aldehyde Allylation Sequence, 474
- 1,3-Diols, Synthesis, 314–315
- Dioncophylline C, 593
- DIOP, 129
Enamide Hydrogenation, Temperature Effects, 11
- Hydrosilylation, 314–315
- Rhodium Complex, 11

- Diorganozinc
 Aldehyde Alkylation, 2–4, 7–8, 15, 469–471, 480, 586, 589, 600
 Autocatalysis, 357–360
 Bis(Sulfonamide)Ti Complex, 136, 142
 Conjugate Addition, 14, 464–465, 467–468
 Cross-Coupling, 621–622
 Desymmetrization, Oxabicyclic Alkenes, 307–308
 α -Ketoester Alkylation, 607
 Dioxiranes, 86–88, 569–571
 Dioxop
 Enamide Hydrogenation, Temperature Effects, 11
 Rhodium Complex, 11
 DIPAMP
 Enamide Hydrogenation, vii
P-Chirogenic Phosphines, 582
 Rhodium Complex, vii
 Dipeptide Catalyst
 Autoinduction, 368
 Hydrocyanation of Aldehydes, 368
 Hydrocyanation, 67
 1,3-Dipolar Cycloaddition, 168–171
 Dipole-Induced-Dipole Interactions, 166, 176
 Directed Electrostatic Activation, 81–82
 Dirhodium Catalysts, Diazo Decomposition, 303–306
 Disproportionation of Enantiomers, 333
 Diyne, Synthesis, 484–485
 Dizinc Catalyst, 364–366
 DMAP
 Planar Chiral Analogs, 589–590
 Alcohol Acylation, 56–57, 72
 C-Acylation, 4
 Ketene Alcoholysis, 72
 D_n Space Groups, 578
 DNA, as a Ligand, 225
 Dolichols, Synthesis of, 605
 Domino Processes, 318, 460–466, 471–473, 477–478, 487–490
 Definition; see Multistep Asymmetric Catalysis, 456
 DOPA, Synthesis of, vii, 25
 DOSP, Rhodium Complex
 Asymmetric Amplification, 564–565
 C–H Insertion, 89–90, 441–442, 449–450, 564–565, 619–621, 619–621
 Double Diastereoselection, 449–450
 Enantiotopic Group Differentiation, 619–621
 Kinetic Resolution, 441–442
 Double Diastereoselection; see Diastereoselection, Double
 DPEN, Diamine, Ketone Reduction, 276
 DPPBA
 Palladium Complex, 21–24, 101–103, 552–554, 561, 571–572
 π -Allylation
 Callipeltoside A Synthesis, 571–572
 Complex Substrates, 561, 571–572
 Double Diastereoselection, 571–572
 Dynamic Kinetic Asymmetric Transformation, 23–24
 Generation of Small Components, 552–554
 Kinetic Resolution, 21–22
 η^3 -Coordination, 101–103
 dr; see Diastereomeric Ratio
 Dual Activation Mechanism, Aldehyde Alkylation, 381–382
 Dual Activation Strategy, 376
 Dual Catalysis, 107
 Dual Catalysts
 Autoinduction, in Diels–Alder, 362–364
 BINOL, 411
 [2+2] Cycloadditions, 410–413
 Diastereomeric Combinations, 408
 In Conjugate Addition of Cyanide, 405–406
 Lanthanide/Aluminum, 405–407
 Nucleophilic/Lewis Acid, 410–413
 Proline/Peptide, Morita–Baylis–Hillman Reaction, 407–409
 (Salen)CoX Complexes, 239
 Supported, 497
 Systems, 403–412
 Dual Hydrogen-Bonding, 68
 DuPHOS
 [2+2+2] Cycloaddition, 105–106
 [4+1] Cycloaddition, 104
 Hydrogenation, 435–436, 457–459, 551, 602, 623
 Iridium Catalyst, 105–106
 Parallel Kinetic Resolution, 262–264
 Rhodium Catalyst, 104, 435–436, 457–459, 551, 602, 623
 Dynamic Kinetic Asymmetric Transformation (DyKAT), 23–24
 Comparison with Dynamic Kinetic Resolution, 286
 Definition, 286
 Reaction Coordinate Diagrams, 22
 Type A, 287
 Type B, 291
 With Two Racemic Substrates, in Allylation, 929–293
 Dynamic Kinetic Resolution (DKR), 21–25, 272–293
 Comparison to Kinetic Resolution, 272
 Comparison with Dynamic Kinetic Asymmetric Transformations, 286
 Coupling, 613
 Dual Catalysts, 280–284
 Enantiotopic Group Differentiation, 613
 Enzymes, 280–284
 Hydrogenation, 626–627
 Proline, 398
 Reaction Coordinate Diagrams, 22, 488–489
 Stereoselective vs. Stereospecific, 603
 Via Basic Substrate Racemization, 273–277
- E**
 Early Metal Catalysts, Structure, 306
 EBTHI
 Diels–Alder Reaction, 15–16
 Planar Chirality, 589–590
 Titanium Complex, 15–16, 589–590
 Edge–Face Interactions, Phosphines, 130, 144

- EDTA, Cobalt Complex, 586
ee; see Enantiomeric Excess
 As a Function of Conversion, 349
 As a Function of Time, 364–366
ee Dependence, on Concentration, 352–355
Electron Transfer, in C–H Hydroxylation, 303
Electronic Asymmetry, 143–144
Electrophile Activation; see also Lewis Acids, 56–58
Electrophilic Alkene Activation, η^2 -Coordination, 94–95
Electrostatic Activation, 81–82
Electrostatic Forces, 179–184
Electrostatic Interactions, 176, 179–184
 Phase-Transfer Catalysis, 184
Elimination, E2 Reaction, 603
Elimination, Epoxide, 74
Enamide Intermediates, in
 Hajos–Parrish–Ender–Sauer–Wiechert Reaction, 392–393
Enamine, from Allyl Amine, 433, 552
Enamine Catalysis, 52, 53–56, 67, 471–474, 482–483
Enamine Oxidation, 55–56
Enantioconvergent, 24–25
Enantioenriched; see Enantiomerically Enriched
Enantiofaces; see Enantiotopic Faces
Enantiomer Imbalance, Absolute Asymmetric Synthesis, 360–361
Enantiomer Self-Disproportionation, 333
 Of Binols, 334
 Of Helical Compounds, 334
 Of Sulfoxides, 334
Enantiomeric Catalysts, 628–631
Enantiomeric Enrichment
 During Purification, 334
 Via Achiral Chromatography, 333
Enantiomeric Excess, vi
 Energy Difference, 3, 5–6, 590–591
 Equation, 5–6, 591
Enantiomeric Ratio, vi, 3, 5, 590–591
 Equation, 591
Enantiomerically Enriched, Definition, 591
Enantiomerization, Definition, 591
Enantiopure, Definition, 590–591
Enantiopure Compounds, Physical Properties, 331–335
Enantioselective, Definition, 601–602
Enantioselective Catalysis; see Asymmetric Catalysis
Enantioselectivity-Determining Step (eds), 12–13, 17
Enantiospecific, Definition, 602
Enantiotopic, Definition, 594–595
Enantiotopic Face
 Definition, 597–598
 Differentiation, 561, 610–611, 623–625
 Re, 598
 Si, 598
 To Yield Centrochiral Units, 598
 To Yield Planar Chiral Units, 598
Enantiotopic Group and Homotopic Groups in the same compound, 597
 Definition, 596–597
 Differentiation, 561, 609–610, 619–623
 Re, 596
 Si, 596
Encapsulated Catalyst, for Epoxidation, 529–531
Ene Reaction, 199
 (BIPHEN)Rh Catalyst, 215
 In a Multistep Reaction, 478
 In Desymmetrization, 306
 Intermolecular, 34
 Intramolecular, 34
 Large-Scale, 552
 Titanium Catalyst, 34, 552
 To α -Ketoester, 519–520
Energy Diagrams; see Reaction Coordinate Diagrams
Energy Difference
 Enantiomeric Excess, 3, 5–6, 590–591
 Selectivity, Double Diastereoselection, 436–439
Eniphos, Rhodium Complex, Enamide Hydrogenation, 551
Enol
 α -Allylation, 55–56
 Formation of 1,4-Dicarbonyls, 56
Enolates, 179–183
 α -Alkylation, 77–79, 446–447, 467–468, 609–610, 613–614
 Alkylation in Amino Acid Synthesis, 184–187
 Amination, in a Multistep Reaction, 468–469
 Asymmetric Protonation, 70–73
 From Ketene, 409–413
 Glycine Imine, 77–79, 446–447, 609–610
 Lithium, 50
 With Nucleophilic Catalysts, 409–413
Enones, Synthesis of, Via Hajos–Parrish–Ender–Sauer–Wiechert Reaction, 52, 67, 392–393
Enthalpy, of Activation, 11, 13
Entropy, of Activation, 11, 13
Envelopment, in Polymer Support, 531–532
Eynes, 250–252
Enzyme Catalysts
 Aldolase, 377–378
 Dynamic Kinetic Resolution, 280–284
 Ketone Reduction, Kinetic Resolution, 268
Epichlorohydrin, Kinetic Resolution Supported Catalysts, 501
Epi-Hygroscopicin, Toward the Synthesis of, 232
Epimerization, in Dynamic Kinetic Asymmetric Transformation, 286
Epothilone, 558–559, 572–574
Epothilone A, Synthesis of, 234–235, 418–419
Epothilone C, Synthesis on Solid Support, 498
Epoxidation, 58
 1,4-Diastereoselection, 434–435
 Asymmetric Amplification, 564
 Complex Substrates, 562–564, 569–571
 Cryptophycin 52 Synthesis, 569–571
 Desymmetrization, 562–564
 Dioxiranes, 86–88, 569–571
 Double Diastereoselective, 569–571
 Enantioface Differentiation, 625–626
 Encapsulated Catalyst, 529–531

Epoxidation (*cont.*)

- In a Multistep Reaction, 469–470
 - Kinetic Resolution, 242–246, 564, 599–600, 625–626
 - Large-Scale, 552
 - Manganese Catalysts, 84, 86–87, 552, 569–571
 - Organocatalysts, 86–88, 569–571
 - Salen Catalysts, 84, 86–87, 569–571
 - Sharpless–Katsuki, vii, 84–85, 433, 552, 562–564, 569–571, 599–600, 625–626
 - Kinetic Resolution, 242–246
 - Mechanism, 243
 - Stereinduction in, 246–248
 - Synthesis of Epoxy Alcohols, 242
 - Substrate Directed, 432, 433
 - Titanium Catalyst, vii, 84–85, 433, 552, 562–564, 569–571, 599–600, 625–626
- Epoxide Elimination
- To Allylic Alcohol, 74
 - Via Deprotonation, 74
- Epoxide Glycidol, Via DKR, 284
- Epoxide Opening, 266–267
- Centrosymmetric Bis(Epoxide), 311–312
 - Chromium Catalyst, 448–449
 - Cobalt Catalyst, 552, 557–558
 - Dual Catalysts, 404
 - Salen Catalysts, Supported, 501
 - With Azide, 298–299
 - Double Diastereoselection, 448–449
 - Nonlinear Effects, 338–339
 - Regiocontrol, 448–449
 - With Bromide, 299–300
 - With Cyanide, Bifunctional Catalysts, 405
 - With Iodide, 299–300
 - With Supported Catalysts, 501–503
 - With Water
 - Dendrimeric Salen Catalysts, 239
 - Large Scale, 552, 557–558
 - Mechanism, 239
 - (Salen)CoX Catalysts, 237–240
- Epoxide Rearrangement, 75
- Epoxy Alcohol
- Via Desymmetrization, 312–313
 - Via Sharpless–Katsuki Epoxidation, vii, 84–85, 242–246, 433, 552, 562–564, 569–571, 599–600, 625–626
- Equilibrating Intermediates; see Curtin–Hammett
- Equilibria, in Epoxide Opening, 238
- er; see Enantiomeric Ratio
- Esomeprazole, Synthesis of; see Nexium
- Europium Catalyst
- Dual Catalysts, 405–407
 - Epoxide Opening, 405–406
- External Stereocontrol, 428, 436, 444–448
- Eyring, Equation, 11
- Eyring, Plot, 10, 13, 14

F

- False Positive Nonlinear Effects, 338, 349
- [Fe(bipyridine)₃]²⁺, 584–585
- Fecht acid, 587
- Felkin–Anh Model, Carbonyl Additions, 430

Ferrocene, Planar Chiral DMAP

- Alcohol Acylation, 56–57, 72
 - C-Acylation, 4
 - Ketene Alcoholysis, 72
 - Kinetic Resolutions, 234–236
- Ferrocenyl Phosphine
- Bifunctional, Aldol, 386–387
 - Kumada Reaction, 613
 - Planar Chirality, 579
 - Suzuki Reaction, 92–93, 619
- First-Order Catalyst, Anhydride Methanolysis, 76
- Fischer, Emil, 428, 553
- FK506, Via Desymmetrization, 563
- Flow Reactor, with Supported Catalysts, 541–543
- α -Fluorination
- In a Multistep Reaction, 482–483
 - Of Aldehydes, 53, 482–483
- α -Fluoroaldehyde, Via α -Fluorination, 53, 482–483
- Fluoxetine, Synthesis of, Via Hydrogenation, 384
- Formyl C–H•••O Interactions
- Electrostatic Interactions, 175–176
 - Lewis Acids, 175
 - Mukaiyama Aldol, 178
- Fostriecin, Synthesis of, 572–573
- FR901464, Synthesis of, 556–557
- Free Energy of Activation, 3, 11, 590–591
- Friedel–Crafts Reactions
- Imidazolidinone Catalyst, 58, 472–473
 - In a Multistep Reaction, 472–473
 - α,β -Ketophosphonates, 45
 - Scandium Catalyst, 45
- Fructose-Derived Catalysts, Epoxidation, 86–88

G

- Gadolinium Catalysts
- Diels–Alder Reaction, 44
- Pyridine Bisoxazoline Complex, 44
- General Acid Catalysis, 66
- Geometry-Induced Ligand Acceleration, Aldehyde Alkylation, 219–220
- Glaser–Hay Coupling, 484–485
- Glycidol, by Sharpless–Katsuki Epoxidation, vii
- Gold Catalysts, 179–183
 - Aldol, Bifunctional Catalysts, 386–387
 - Chiral Counterion, 80–81
 - Cycloisomerization, 80–81
- Grignard Reagents, in Cross-Coupling, in DKR, 284–286
- Group-Transfer Catalysis, 82–91
 - Alkene Metathesis, 90
 - Aziridination, 87
 - C–H Insertion, 89–90
 - Cyclopropanation, 87
 - Dihydroxylation, 83–84
 - Epoxidation, 84–88

H

- η^4 -Iron Complex, 618
- η^4 -Iron Complex, Chirality Exchange, 604
- η^4 -Iron-Dienylaldehyde, 600

- η^6 -Arene-Cr Complex, Planar Chirality, 589–590
- η^6 -Tricarbonylchromium Complex, 618–619
- Hajos-Parrish-Eder-Sauer-Weichert Reaction, 52, 67, 392–393
 - Linear Behavior, 397
 - Proline, 392–393
- Halichondrin, Synthesis of, 452, 563–564
- Heck Reaction
 - η^2 -Coordination, 94, 96–98
 - Diastereoselective, 555
 - In a Multistep Reaction, 460–461
 - Intermolecular, 96–97
 - Intramolecular, 98
 - Palladium Catalysts, 97–98, 566–567
 - Palladium Nanoparticles, 540–541
 - Psycholeine Synthesis, 319–320, 566–567
 - Quadrigemine C Synthesis, 319–320, 566–567
- Helical Arrangements, of Ligands, 584–585
- Helical Chirality, 588–589
- Helicene, 579
- HELOL, Zinc Complex, Aldehyde Alkylation, 589
- Hemibrevetoxin B, Disconnection of, 311
- Hemilabile Ligands, 92–93
- Henry Reaction; see Nitroaldol
- Heterobimetallic Catalysts
 - Al, Li
 - In a Multistep Reaction, 463–464
 - Large-Scale Reaction, 553
 - Michael Reaction, 463–464, 553
 - Cs, Ni, Michael Reaction, 9–10
 - La, Li
 - Aldol Reaction, 74, 572–574
 - Epothilone Synthesis, 572–574
 - Fostriecin Synthesis, 572–573
 - Ln, Chirality at, 415
 - Multifunctional Catalysts, 413–422
 - Sm, Na
 - Conjugate Addition, 558–559
 - Epothilone Synthesis, 558–559
 - Y, Li, in a Multistep Reaction, 479
- Heterochiral Dimers, Zinc Catalysts, 343–347
- Hetero-Diels-Alder Reaction; see Diels-Alder Reaction
- Heterogeneous Mixtures, in Nonlinear Effects, 355–357
- Heterogeneous vs. Homogeneous Catalysts, 496–497
- Heterogenization of Catalysts, 497–508
 - Catalyst Construction in Pores, 499
 - Coordination Polymers, 498
 - Of Salens on Silica, 501–503
 - Via Charge-Charge Interactions, 499
 - Via Polymer Derivatization, 498
 - Via Tethering, 499
- Heterolytic Cleavage of Hydrogen, by Ruthenium, 385
- Heterotopic, Definition, 594–595
- Homoallylic Alcohols
 - Synthesis of, 306, 352–355
 - Via Allylation of Aldehydes, 572–573
 - Via Ene Reaction, 34
- Homochiral, 591
- Homochiral Dimers, Zinc Catalysts, 343–347
- Homochirality, Origin of, 360–361
- Homoleptic Ligands, 584
- Homotopic, Definition, 594–595
- Homotopic Groups and Enantiotopic Groups in the Same Compound, 597
- Hydroacylation
 - (BINAP)Ru, 131–135
 - Kinetic Resolution, 262
 - Mechanism, 132
 - Parallel Kinetic Resolution, 262–264
- Hydroalkoxylation, Allene, 80–81
- Hydroamination
 - Diene, 103–104
 - Styrene, 103–104
 - η^2 -Coordination, 94
- Hydrocarbonylation, η^2 -Coordination, 94
- Hydrocyanation, 388–389
 - Aluminum Catalyst, 558–559
 - Epothilone Synthesis, 558–559, 572–573
 - Fostriecin Synthesis, 572–573
 - Heterobimetallic Catalyst Y, Li, 479
 - Imine, Enantioface Differentiation, 611
 - In a Multistep Reaction, 472–473, 479
 - Of Aldehydes, 67, 367–368, 472–473, 479, 558–559
 - Of Imines, 611
 - Of Ketones, 572–573
 - Organocatalyst, 67, 611
 - Titanium Catalyst, 572–573
- Hydrofluorination, Enal, Organocatalyst, 482–483
- Hydroformylation, vii
 - π -Activation, 99–100
 - η^2 -Coordination, 94, 99–100
 - In a Multistep Reaction, 458–459
 - Large-Scale, 553
 - Mechanism Shift, 12–14
 - Platinum Catalyst, 12–14
 - Rhodium Catalyst, 99–100, 553
- Hydrogen Abstraction, in Hydroxylations, 300–301
- Hydrogen Bonding, 66–67, 207
 - Bifunctional Catalysis, 382–386, 396
 - Catalysis, 66–70
 - C-H...O Interactions, 175
 - Formyl C-H, 175–179
 - Homochiral vs. Heterochiral, 332–333
 - Hydrogenation β -Ketoester, 275
 - Nonlinear Behavior, 355–357
 - Platinum-Cinchonidine-Catalyzed Hydrogenation, 524
 - Proline with Chloroform, 355–357
 - Racemate vs. Enantioenriched, 332–333
 - Transfer Hydrogenations, 170–172
- Hydrogen Transfer Mechanism, 386
- Hydrogenation
 - Alkene, 551
 - Double Diastereoselection, 444–445, 568–569, 605
 - Regioselection, 605
 - Alkynyl Ketones, 556–557
 - Double Diastereoselection, 445

Hydrogenation (*cont.*)

- Anion Capture Supports, 527–529
- BINAP, Directed, 131
- Chiral Counterion Catalysis, 80
- Conformationally Dynamic Ligands, 154
- η^2 -Coordination, 94
- Denopamine Synthesis, 560–561
- Dolichols Synthesis, 605
- Enamide, vii, 551, 586, 589
 - η^2 -Coordination, 98–99
 - Curtin–Hammett, 25–26, 98–99, 444–445
 - Double Diastereocontrol, 435–436
 - Enantioface Differentiation, 623
 - In a Multistep Reaction, 457–459, 480–481
 - Pressure Effect, 16–17
 - Stereospecific, 602, 623
 - Temperature Effect, 10–13
- Fostriecin Synthesis, 572–573
- FR901464 Synthesis, 556–557
- Iminium Catalysis, 58, 80
- In a Multistep Reaction, 480–481, 482–483
- Ketone, 200, 273–278, 382–383, 508–509, 517–519, 551, 556–557, 560–561
 - Double Diastereoselective, 568–569, 572–573
- Ketone vs. Alkene, 386
- Large-Scale, vii, 551
- α -Ketoester, 551
- β -Ketoester,
 - Dynamic Kinetic Resolution, 626–627
 - Enantioface Differentiation, 626–627
 - In a Multistep Reaction, 480–481
- Ketoesters, 131, 533–535
- Organocatalyst, 58, 80
- Platinum Catalyst, 551
- Resin-Bound Catalysts, 524
- Rhodium Catalyst, vii, 10–13, 16–17, 25–26, 98–99, 144, 435–436, 444–445, 457–459, 551, 586, 589, 602, 624
- Ruthenium Catalyst, 445, 480–481, 488, 551, 556–557, 560–561, 568–569, 572–573, 605, 626–627
- Silica-Supported Catalysts, 506–508
- Substrate Directed, 131, 432, 605
- Supported Catalysts, 503–504
- Taurospingin A Synthesis, 568–569
- Trimethyldodecanol Synthesis, 568–569
- Transfer, 58, 80, 445, 482–483, 488, 556–557, 560–561, 568–569, 572–573, 610
- α,β -Unsaturated Aldehyde, Transfer, 80
- Zeolite-Supported Catalysts, 506–508
- Hydrolytic Kinetic Resolution (HKR); see Epoxide Opening
- Hydrometallation, to a π -Benzyl Complex, 103–104
- Hydropalladation, Enantioface Differentiation, 611
- Hydrosilane, 581
- Hydrosilylation, 581
 - Alkene Desymmetrization, 314
 - Ansa-Metallocenes, Stereoinduction, 128
 - Double Diastereoselection, 616–618
 - Ketone, 50–51, 140
 - Imine, 127, 246
 - Mechanism, 127
 - Intramolecular, Desymmetrization, 314
 - Membrane Encapsulation, 532–533
 - S-Chirogenicity, 316
 - To Spiranes, 616–618
 - Zinc Catalysts, 140
- 4 β -Hydroxyalcohol, Disconnection of, Via Desymmetrization, 313
- α -Hydroxy Acid
 - Organocatalyst, α -Hydroxylation, 606
 - Via Hydrogenation, 551
- β -Hydroxy Aldehydes
- α -Hydroxy Ester
 - Via Alkylation, α -Ketoesters, 607
 - Via Ene Reaction, 552
 - Via Mukaiyama Aldol Reaction, α -Ketoesters with Silyl Ketene Acetals, 6, 606, 631
- β -Hydroxy Ester
 - Via Ketone Reduction, 626–627
 - Via Mukaiyama Aldol Reaction, with Silyl Ketene Acetals, 6, 36–38, 49, 442–444, 601, 624–625
- α -Hydroxy Esters, Synthesis of, 390–392
- β -Hydroxy Esters, Synthesis of, Via DKR, 283
- α -Hydroxy Ketone
 - Via Aldol Reaction, with Proline, 8–9
 - Via α -Hydroxylation of Ketones, 606–607
- β -Hydroxy Ketone
 - Via Aldol Reaction
 - Aldehydes with Ketones, 74, 572–574, 627
 - Heterobimetallic Catalyst, 74, 572–574
 - Via Ene Reaction, 478
 - Via Morita–Baylis–Hillman Reaction, 69
 - Via Mukaiyama Aldol Reaction
 - Trichlorosilyl Enolates, 48
 - α -Benzyloxyaldehyde with Enol Ethers, 35–38, 442–444
- α -Hydroxy Ketones, Synthesis of, 249–250
- β -Hydroxy Nitro, Via Henry Reaction, 479
- α -Hydroxylation, 53
 - In a Multistep Reaction, 474
 - Proline Catalyst, 474
 - Regioselection, 606–607
- β -Hydroxy Carbonyls, Synthesis of, 364–366
- β -Hydroxy Ketones, Synthesis of, from Direct Aldol, 364–366
- Hydroxylation, of C–H Bonds, 301–302
- Hypercages, in Zeolites, 529
- Hyperconjugation, 560
- Hypercoordinate Silicon, in Allylation of Aldehydes, 352–355
- Hypervalent Aluminum, in Diels–Alder, 362–364
- Hypervalent Silicon, 46–50
- i**, Center of Symmetry, 596
- Imidazolidine, Michael Reaction, in a Multistep Reaction, 471–472
- Imidazolidinone
 - Aldehyde α -Allylation, 55–56

- Imidazolidinone (*cont.*)
- Aldehyde α -Chlorination, 53
 - Aldehyde α -Fluorination, 482–483
 - Diels–Alder Reaction, 56–58
 - Enamine Catalysis, 53, 482–483
 - Friedel–Crafts Reaction, 472–473
 - Iminium Catalysis, 56–58, 482–483
 - In a Multistep Reaction, 472–473, 482–483
 - SOMO Catalysis, 55–56
 - Transfer Hydrogenation, 482–483
- Imines
- Alkylation, 1,5-Diastereoselection, 435
 - N*-Acyl
 - Diazoester Addition, 69–70
 - Silyl Ketene Acetal Addition, 68
 - β -Lactam Synthesis, 409–413
 - Reduction, 126–127
- Iminium Catalysis, 56–58, 79–80, 81–82, 471–473, 482–483
- Immobilized Catalysts, 498–543
- Imprinted Catalysts, 107
- Inclusion Complexes, 107
- Identical Catalysts, Dual Catalysts, 404
- Independent Bifunctional Catalysts, 376
- Aldol, 386–387
 - Allylation, 401–403
 - Charge–Charge Interactions, 386–387
 - Hydrocyanation of Aldehydes, 387–388
 - Hydrocyanation of Ketones, 388–390
 - Salen Derivatives, Additions to α -Ketoester, 390–392
- Indirect Activation
- Lewis Acid Catalysis, 39–45
 - Lewis Base Catalysis, 56–61
- Indium, in Bifunctional Catalysis, [2+2] Cycloadditions, 411–412
- Industrial-Scale Synthesis, vi–vii, 550–553
- β -Iodohydrin, Synthesis of, 299–300
- Inorganic Supports, 497
- Alumina, 497
 - Silica, 497
 - Zeolites, 497–498
- Inositol, Desymmetrization, 621–622
- Interdependent Bifunctional Catalysts, 378–382
- Intermolecular Associations, in Solution, 332
- Internal Stereocontrol, 428, 429–435, 436, 475
- Intrinsic Selectivity, 26
- Inversion at Phosphorus, in Phosphines, 290
- Inversion Temperature, 12
- Ion Exchange, with Layered Double Hydroxides, 526
- Ion Exchange Resins, as Catalyst Supports, 524–526
- Ionic Interactions, in Supported Catalysts, 524
- Ionic Radius, Impact on ee, in Lanthanide-Based Catalysts, 417
- Ionomycin, Fragment Synthesis, Via Desymmetrization, 308–309
- Ion-Pair Mediated Reactions, 184–187
- Ion-Pairing Catalysis, 77–82
- Anion, 79–81
 - Cation, 72–73, 77–79
 - General Schematic, 77
 - In Phase-Transfer Catalysis, 184–187
- Ion-Pairing, Aldol Reaction, 179–183
- Iridium Catalysts
- [2+2+2] Cycloaddition, 105–106
 - 1,3-Dipolar Cycloaddition, 168
 - DuPHOS Complex, 105–106
 - Hydrogenation, 551
 - Large-Scale, 551
 - Phosphino-Oxazoline Complex, 551
- Isomerization
- Allylamine to Enamine, 433, 552
 - Large-Scale, 552
 - Of Meso Epoxides, Nonlinear Effects, 349–352
 - Substrate Directed, 433
- Isosparteine, Epoxide Rearrangement, 75
- Iterative Processes; see Sequential Processes
- Definition; see Multistep Asymmetric Catalysis, 456
- J**
- Jahn–Teller Distortion, Copper(II), 120, 341
- JOSIPHOS, 593
- Anhydride Desymmetrization, 621–622
 - Enamide Hydrogenation, 444–445
 - Palladium Complex, 619, 621–622
 - Rhodium Complex, 444–445
 - Suzuki Coupling, 619
- K**
- (+)-K[Co(EDTA)], 586
- Ketenes
- Alcoholysis, 54, 72–73
 - [2+2] Cycloaddition, 409–413, 485–486, 552
 - From Acid Chlorides, 54–55, 485–486
- β -Ketoester, Via C-Acylation of Silyl Ketene Acetals, 4
- β -Ketoesters, Reduction of, with Supported Catalysts, 532–533
- Ketones
- Alkylation, Diastereoselection, 429
 - α -Amination, Regioselection, 606–607
 - α -Chiral, Additions, 430
 - β -Chiral, Additions, 429–431
 - Hajos–Parrish–Ender–Sauer–Wiechert Reaction, 52, 67, 392–393
 - α -Hydroxylation, Regioselection, 606–607
 - Reduction; see Reduction, Ketones
 - Via Asymmetric Protonation, 50
 - Via Kinetic Resolution, 26–27
 - Via Oxidation, 26–27
- Ketones vs. Aldehydes, Binding to Lewis Acids, 389
- Kinetic Isotope Effects
- Aldol Reaction, 418
 - Anhydride Methanolysis, 76
 - C–H Hydroxylation, 303
 - C–H Insertion, 90
- Kinetic Resolution, 20–22, 232–253, 563–564
- Additional Stereocenter Generation, 242–249, 625–627

Kinetic Resolution (*cont.*)

- Alcohol Acylation, Enantiotopic Group
 - Differentiation, 612
 - Aldol Reaction, 572–574, 627
 - Alkene Metathesis, 90
 - Atropisomer Generation, 616
 - Basic Concepts, 232
 - Benzylic Alcohol Oxidation, 26–27
 - Bifunctional Catalysts, 404
 - C–H Insertion, 441–442
 - Chiral Nanoparticles, 515–516
 - Conversion vs. ee, Graph, 233
 - Desymmetrization, 309–310, 320–321
 - Dihydroxylation, 247–249
 - Double Diastereoselection, 441–442
 - Dynamic; see Dynamic Kinetic Resolution
 - Energy Diagram, 233
 - Epoxidation, 599–600, 625–626
 - Epoxide Opening, 557–558
 - Generating No New Stereocenters, 234
 - Mathematical Description, 232–233
 - Multistep Asymmetric Catalysis, 487–490
 - Of Alcohols
 - Mechanism, 236
 - With Planar Chiral Catalysts, 234–235
 - Of Allylic Alcohols
 - Epoxidation, 312–313
 - Via Hydrogenation, 195
 - Of Allylic Epoxides, Via Ring Opening, 266–267
 - Of Amines, with Planar Chiral Catalysts, 236–237
 - Of Anhydrides, 76–77
 - Of Butenolides, 287–288
 - Of Enol–Ester Epoxides, 249–250
 - Of Epoxides
 - With (Salen)CoX Catalysts, 237–240
 - With Supported Catalysts, 501–530
 - Of β -Ketoester, 273
 - Of Mixtures of Diastereomers, 250–252
 - Of *N*-Carboxyanhydrides, 278
 - Of Propargylic Alcohols, 56–57
 - Parallel; see Parallel Kinetic Resolution
 - Planar Chiral DMAP Analogs, 56–57
 - Reaction Coordinate Diagrams, 21
 - (Salen)CoX, Bifunctional Catalysts, Impact of X, 404
 - Stereoselective vs. Stereospecific, 603
- Knipholone, 587
- Knowles, William S., v
- k_{rel} , 232, 256
- Intrinsic, 26
- Kumada Coupling, 320–321
- Atropisomer, 615
 - Axial Chirality, 615
 - Desymmetrization, 615
 - Enantiotopic Group Differentiation, 613, 615
 - Palladium Catalyst, 613, 615
- L**
- λ , 584–585
- Λ , 584–585
- β -Lactams
- Dual Supported Catalysts, 541–543
 - Supported Catalysts, 535–536
 - Synthesis of, 54–55, 409–410, 485–486, 554–555
 - Via [2+2] Cycloaddition, 54–55, 485–486
- β -Lactone, Via [2+2] Cycloaddition, 552
- Lactones, Synthesis by C–H Insertions, 304–306
- Lanthanide Contraction, 415
- Impact on ee, 417
- Lanthanides
- Common Coordination Number, 413
 - Conjugate Addition of Cyanide, to Unsaturated Imides, 405–406
 - Lewis Acids, 206–207
 - Multifunctional Catalysts, 413–422
 - Oxidation State, 413
- Large-Scale Synthesis, vi–vii, 550–553
- Layered Double Hydroxides, as Supports, for Osmium, 526
- LDA, Epoxides Isomerization, 73–74, 349–352
- Le Châtelier's Principle, 23, 613
- Leaching, in Polymer Supports, 532
- Leukocyte Elastase, Synthesis of Inhibitor, β -Lactams, 411
- Lewis Acid, Ligand Complexation, 19
- Lewis Acid Catalysis, 4, 32–45
- Activation Via a Conjugated System (Indirect Activation)
 - One-Point Binding, 39–42
 - Two-Point Binding, 43–45
 - Chiral Modifying Ligand, 32–33
 - Coordination Modes, 40–42
 - Direct Activation
 - One-Point Binding, 34–35
 - Two-Point Binding, 35–39
 - LUMO Orbital Energies, 33, 34, 40
 - Substrate Activation, 33
- Lewis Acid–Brønsted Base Catalysts, Bifunctional Catalysts, Aldol, 386–387
- Lewis Base Catalysis, 45–61
- Activation Modes, 45–46
 - Activation Via a Conjugated System (Indirect Activation), 56–58, 79–80, 81–82
 - Acyl Activation, 56–57
 - Allylation, 352–355
 - Covalent Activation, 45–46, 51–61
 - Derived from Peptides, 310
 - Desymmetrization of Meso Diols, 309–310
 - Electrophile Activation, 4, 56–58
 - Enamine Activation, 52, 53–56, 67, 471–474, 482–483
 - Minium Activation, 56–58, 79–80, 81–82, 471–473, 482–483
 - Noncovalent, 45–46, 46–51
 - Nucleophile Activation, 53–55
 - Oxidative Activation, 55–56
 - Phosphine, 260–262
 - Silicon Activation, 46–50
 - Umpolung, 58–61
- Lewis Base–Lewis Base Catalysis, Bifunctional Catalysts, 407–408
- Ligand
- Achiral, 215–216

Ligand (*cont.*)

- Amino Acid, 176
 - 2-Naphthol Oxidation, 536–538
- Amino Alcohol, 170–175
 - CBS Ketone Reduction, 379–381
 - Dialkylzinc Reagents, 381–382
 - Nonlinear Effects, 343–347
- β -Amino Alcohol, in Aldehyde Alkylation, 2–4, 7–8, 469–471, 600
- Amino Phosphine, Cross-Coupling, 320–321
- Anilino Oxazoline
 - Chromium Catalyst, 450–452
 - Nozaki–Hiyama–Kishi Reaction, 450–452
- Atropisomeric, 154
 - BIPHEN, 214
- Atropisomeric Conformations, 151
 - Amides, 155
 - Induced Axial Chirality, 151–156
- Azadiene, Asymmetric Metal Complexation, 618
- BBMPP
 - Enamide Hydrogenation, 11
 - Rhodium Complex, 11
- BINAP, 123–125, 273–278, 319–320, 579
 - Allylation of Aldehydes, 572–573
 - Conjugate Addition, 465–466, 489–490
 - [5+2] Cycloaddition, 105
 - Desymmetrization, 307–308
 - Heck Reaction, 98, 318, 566–567
 - Hydrogenation, 480–481, 551, 560–561, 568–569, 605, 626–627
 - Hydrometallation, 103
 - Isomerization, 433, 552
 - Ketone Reduction, 203–205, 382–386, 520–521
 - Kinetic Resolution, 250–252
 - Metal–Organic Coordination Networks, 517–519
 - Palladium Complex, 95, 98, 103, 566–567, 616–617
 - Parallel Kinetic Resolution, 263
 - π -Allylation, 103, 616–617
 - Rhodium Complex, 105, 433, 465–466, 480–481, 489–490, 552
 - Ruthenium Complex, 551, 560–561, 568–569, 605, 626–627
 - Silver Complex, 572–573
 - Soluble Polymeric Supports, 513–515
 - Supported Hydrogenations, 508–509, 538–540
 - Wacker Reaction, 95
- BINAPHOS, Rhodium Complex, 99–100, 553
- Binaphthyl Bisoxazoline; see Bisoxazoline
- BINAPO, 150
 - π -Allylation, 555
- Binding of Diastereotopic Groups, 142
- BINOL
 - Aldehyde Alkylation, 335–336, 538–540
 - Aldol Reaction, 73–74, 572–574
 - Axial Chirality, 587
 - Bifunctional, 387–388
 - Conjugate Addition, 559
 - Diels–Alder Reaction, 347–348, 629–630
 - Ene Reaction, 34, 478, 552, 199–200, 306
 - Epoxide Rearrangements, 249–250
 - Henry Reaction, 479
 - Heterobimetallic Catalyst, 73–74, 413–422, 463–465, 479, 553, 558–559, 572–574, 584–585
 - Hydrocyanation, 479, 558–559
 - λ vs. δ Arrangement, 584–585
 - Lanthanide Catalysts, 206–207
 - Metal–Organic Coordination Networks, 519–520
 - Michael Reaction, 463–465, 553
 - Morita–Baylis–Hillman Reaction, 399–400
 - Mukaiyama Aldol Reaction, 37–38
 - Nitroaldol Reaction, 479
 - pK_a , 67
 - Racemization, 123
 - Titanium Complex, 34, 37–38, 306, 335–336, 478, 552
 - Ytterbium Complex, 629–630
- BINOL Derivatives
 - 3,3'-Ar, 91
 - Aldehyde Alkylation, 480
 - Aluminum Complex, 32, 558–559
 - Bifunctional Catalyst, 558–559
 - Hetero-Diels–Alder Reaction, 480
 - Lewis Acid From, 32
 - Metathesis, 90–91
 - Molybdenum Catalyst, 90–91
 - Silylcyanation, 558–559
 - With Pendent Groups, 558–559
 - Zinc Catalyst, 480
- BINOL Phosphoramidite, 459–460, 464–465, 467–468
- BINOLate, (BINOL dianion); see BINOL
- BIPHEN, 210
- Biphenyl-Based, 151–154
- BIPHEP, 210–216
 - Copper Complex, 51
 - Ketone Reduction, 51
- BIPHEPHOS
 - Enamide Hydrogenation, 458–459
 - Rhodium Complex, 458–459
- Bipyridine Derivatives, 225–226
- Bisimine, Zinc Catalyst, 480
- BISOX, 582–583
- Bisoxazoline
 - α -Amination, 468–469
 - Binaphthyl, 96, 460–461
 - Conjugate Addition, 468–469
 - Copper Complex, 6, 38–39, 44, 439–444, 462, 468–469, 481–482, 487, 606, 625–626, 629–631
 - Cyclopropanation, 481–482
 - Diels–Alder Reaction, 44, 439–441, 629–630
 - Hetero-Diels–Alder Reaction, 38–39, 462, 487, 625–626
 - Mukaiyama Aldol Reaction, 6, 442–444, 606, 631
 - Palladium Complex, 96, 460–461
 - Spiro, 96
- Bisphosphine
 - Allylation, 291–293
 - Bifunctional, 386–387
 - BPPM (Pyrrolidine-Based), 503–504
 - Dynamic Kinetic Asymmetric Transformation, 288
 - PPM (Pyrrolidine-Based), 503–504

Ligand (*cont.*)

- Bisphosphoramidates, 353–354
- Bispidine, Asymmetric Deprotonation, 75
- Bite Angle, in Phosphines, 322
- Box; see Bisoxazoline
- BOXAX; see Bisoxazoline, Binaphthyl
- BPPM
 - Enamide Hydrogenation, 11
 - Rhodium Complex, 11
- C₃-Symmetric, Amino Alcohol, 298–300
- CAMP
 - P*-Chirogenic Phosphines, 582
 - Phosphorus Stereocenter, 129
- Carbohydrate Derived, in Bifunctional Catalysts, 389–390
- Carboxamidates, in Cyclopropanation, 256–257
- Chiral Conformations, 205
- Chiral Relays, 147–148
- Chiraphos
 - Enamide Hydrogenation, 11, 26, 99
 - Rhodium Complex, 11, 26, 99
- Cinchona Alkaloids, 247–248
 - Osmium Complex, 19–20, 83, 445–446, 475–477, 481–482, 552, 559–560, 565–566, 605, 616, 628–629
 - Platinum Catalyst, 551
- Configurational Dynamic, 147
- Coordination of Diastereotopic Lone Pairs, 140
- Cycphos
 - Enamide Hydrogenation, 11
 - Rhodium Complex, 11
- DAIB, 381–382
 - Aldehyde Alkylation, 2–4, 7–8
 - Nonlinear Effects, 343–347
 - Zinc Complex, 7
- DAIPEN
 - Hydrogenation, 560–561
 - Ruthenium Complex, 560–561
- (DHQ)₂PHAL; see Dihydroxylation
- (DHQD)₂PHAL; see Dihydroxylation
- Diamine, 140, 533–535
 - Achiral, 216–218
 - DINAM, 195
 - DPEN, 210–216
 - Hydrogenation, 506–508
 - Isomerization of Meso Epoxides, 349–352
 - Ketone Reduction, 382–386
 - Metal–Organic Coordination Networks, 517–519
 - Nanoparticle Supported Hydrogenations, 508–509
- Diaza-*cis*-decalin, Copper Complex, 484–485, 562, 614–615
- Diimine, Achiral, 216–218
- Diimines, in Aziridination, 156–157
- Diisopropyl Tartrate, 312
 - Sharpless–Katsuki Asymmetric Epoxidation, 242–246
- DIOP, 129, 314–316
 - Alkene Hydrogenation, 524
 - Enamide Hydrogenation, 11
 - Rhodium Complex, 11
- Dioxop
 - Enamide Hydrogenation, 11
 - Rhodium Complex, 11
- DIPAMP
 - Enamide Hydrogenation, vii
 - P*-Chirogenic Phosphines, 582
 - Rhodium Complex, vii
- Dipodal, 401–403
- DOSP, Rhodium Complex, 89–90, 441–442, 449–450, 564–565, 619–621, 619–621
- DPEN, in Ketone Reduction, 201–204
- DPPBA
 - Palladium Complex, 21–24, 101–103, 552–554, 561, 571–572
 - π -Allylation, 23–24, 101–103, 552–554, 561, 571–572
- DuPHOS, 262–264, 532–533
 - [2+2+2] Cycloaddition, 105–106
 - [4+1] Cycloaddition, 104
 - Hydrogenation, 435–436, 457–459, 551, 602, 623
 - Iridium Catalyst, 105–106
 - Phosphine Synthesis, 288–290
 - Rhodium Catalyst, 104, 435–436, 457–459, 551, 602, 623
 - With Anion Capture Support, 527–529
- EBTHI
 - Diels–Alder Reaction, 15–16
 - Planar Chirality, 589–590
 - Titanium Complex, 15–16, 589–590
- Edge-Face Interactions, 130, 144
- EDTA, Cobalt Complex, 586
- Eniphos, Rhodium Complex, 551
- Ferrocene-Based Ligands, Bifunctional, 386–387
- Ferrocene, Planar Chiral, 284–286
- Ferrocenyl Phosphine
 - Kumada Reaction, 613
 - Planar Chirality, 579
 - Suzuki Reaction, 92–93, 619
- Fluxional, 147
- HELOL, Zinc Complex, 589
- JOSIPHOS, 593
 - Anhydride Desymmetrization, 621–622
 - Enamide Hydrogenation, 444–445
 - Palladium Complex, 619, 621–622
 - Rhodium Complex, 444–445
 - Suzuki Coupling, 619
- Meso, 215–216
- Methylene Bis(Phenol), 220
- MIB
 - In Nonlinear Effects, 343–347
 - Zinc Catalyst, 469–471
- P*/*N* Ligands, Desymmetrization, 307
- PHANEPHOS, 589–590
- Phelix, Rhodium Complex, 589
- Phephos, in Desymmetrization, 320–321
- Phosphine Ligands, Enamide Hydrogenation, 11
- Phosphoramidates, Allylation of Aldehydes, 352–355
- Phosphoramidite
 - Allylic Substitution, 459–460
 - Conjugate Addition, 464–465, 468

Ligand (*cont.*)

- Copper Catalyst, 459–460, 464–465
 - Kinetic Resolution, 266
- Phox; see Phosphino Oxazoline
- Planar Chiral Ferrocene, 307–308
- Privileged Structures, 123, 237
- Proline Derivative
 - Aldol Reaction, 364–366
 - Cyclopropanation, 258–259
- PropHos
 - Enamide Hydrogenation, 11
- Rhodium Complex, 11
- PyBox; see Pyridine bisoxazoline
- Pyridine Bisoxazoline
 - Copper Catalyst, 18, 35–38, 442–444, 601, 624–625, 631
 - Diels–Alder Reaction, 18, 44–45
 - Friedel–Crafts Reaction, 45
 - Gadolinium Complex, 44–45
 - Mukaiyama Aldol Reaction, 35–38, 340, 442–444, 601, 606, 624–625, 631
 - Scandium Complex, 45
 - Tin Complex, 606, 631
- QUINAP
 - Diboration, 460–461
 - Rhodium Complex, 460–461
- Salen
 - Alkylation, 607
 - Bifunctional Catalyst, 404, 607
 - Bifunctional Ni,Cs Catalyst, 9–10
 - C–H Hydroxylation, 301–302
 - Chromium Complex, 448–449, 557–558
 - Cobalt Complex, 552, 557–558
 - Dynamic Kinetic Resolution, 284
 - Epoxidation, 84, 86–87, 505–506, 552, 569–571
 - Epoxide Opening, 237–240, 300, 311–312, 448–449, 552, 557–558
 - Hetero-Diels–Alder Reaction, 557–558
 - Manganese Catalyst, 84, 86–87, 552, 569–571
 - Michael Reaction, 9–10
 - Nonlinear Effects, 338–339
 - Titanium Catalyst, 607
- Salen Derivatives, with Pendent Bases, 390–392
- Schiff Base
 - Chromium Complex, 34–35, 41, 447–448, 556–557
 - Conjugate Addition, 467–468
 - Copper Complex, vii, 467–468
 - Cyclopropanation, vii
 - Diels–Alder Reaction, 41
 - Hetero-Diels–Alder Reaction, 34–35, 556–557
- SEGPHOS
 - Conjugate Addition, 616–617
 - Cycloisomerization, 611
 - Formation of Axial Chiral Allenes, 616–617
 - Hydrometallation, 103
 - Palladium Complex, 103, 611
 - Rhodium Complex, 616–617
- Semicorrin, 118
- Siam, *S*-Chirogenicity, 582–583
- SILOP, Bisphosphine, 316

Sparteine

- Alkyl Lithium Adduct, 17, 75–76
- Alkylation of Aldehydes, 17
- Deprotonation, 75–76
- Grignard Adduct, 17
- Kinetic Resolution, 26–27
- Oxidation of Alcohols, 26–27
- Palladium Complex, 26–27, 628
- Wacker Reaction, 628
- Spiro Bisoxazoline; see Bisoxazoline
- Stereodynamic, Dihydropyrazole, 147–148
- Sugar-Based Diphosphite, in Allylation, 515–516
- Sulfoxides, in Cyclopropanation, 224
- Sulfoximines, 582
- TADDOL, 135–140
 - Diels–Alder Reaction, 43, 68–69
 - Hetero-Diels–Alder Reaction, 68–69
 - pK_a , 67
 - Titanium Complex, 43
- TADDOLate, (TADDOL dianion); see TADDOL
- Tartrate, 592, 625–626
 - Sharpless–Katsuki Epoxidation, vii, 84–85, 433, 552, 562–564, 569–571, 599–600, 625–626
 - Sulfide Oxidation, 552, 609
 - Titanium Complex, vii, 84–85, 433, 552, 562–564, 569–571, 599–600, 609, 625–626
- TBoxH, Chromium Catalyst, 624
- Tetrapodal, 401–403
- TMBTP, Bis(Phosphine), 525
- Trialkanolamine, 298–300
- Tunephos, 275
- VAPOL, in Diels–Alder, 362–364
- Vaulted Biaryl
 - Aluminum Complex, 41
 - Diels–Alder Reaction, 41
- Ligand-Accelerated Catalysis, 2, 17, 20, 32–33, 51, 83
- Ligand Complexation, 19
- Ligand-Decelerated Catalysis, 17–19, 32–33, 51
- Linked Catalysts; see Tethered Catalysts
- Lipase, 260, 283
 - Dynamic Kinetic Resolution, in a Multistep Reaction, 488–489
 - Supported, 281
- Lithium Catalysts, 73–76
 - Heterobimetallic, 413–422
 - Isomerization of Meso Epoxides, 349–352
- Lithium Enolate, Asymmetric Protonation, 50, 70–71

M

- M*, Axial chirality, 587
- M*, Helical chirality, 589
- M*, Planar chirality, 590
- Manganese Catalysts
 - C–H Hydroxylations, 301–302
 - Cryptophycin Synthesis 52, 569–571
 - Epoxidation, 84, 86–87, 552, 569–571
 - Epoxidation, Inside Zeolites, 529–531
 - Epoxidation, on Mesoporous Silica, 505–506

- Manganese Catalysts (*cont.*)
 Large-Scale, 552
 Salen Complexes, 84, 86–87, 552, 569–571
- Mannich Reaction
 In a Multistep Reaction, 473–474
N-Boc Imine, 68
 Proline Catalyst, 473–474, 608
 Silyl Ketene Acetal, 68
 Thiourea Catalyst, 68
 Vs. Aldol Reaction, Chemoselection, 607–608
- Mannostatin, Synthesis of, Via Allylation, 324
- Matched, 428, 434, 436–450
- MCM-41, Mesoporous Silica, 505–506
- MCM-41 Support, with Anion Capture, 527–529
- Measurement of Nonlinear Effects, 337–338
 Common Mistakes, 337–338
- Mechanism
 Alcohol Acylation
 Kinetic Resolution, 57
 Planar Chiral DMAP Analogs, 57, 72
 Alcohol Oxidation
 Kinetic Resolution, 27
 Palladium Catalysts, 27
 Aldehyde Alkylation, 3, 8, 336, 343–347, 381–382
 Catalyzed by Phosphoramidates, 353
 In a Multistep Process, 474
 Aldehyde Hydrocyanation, with Dipeptide Catalyst, 67
 Aldol Reaction
 Gold Catalyzed, 181–182, 386–387
 Heterobimetallic Catalyst, 74, 420
 In a Multistep Process, 472
 Proline Catalyzed, 9, 395–396
 Aldolase
 Type I, 377–378
 Type II, 377–378
 Alkene Metathesis, 91
 α -Allylation, Via Enamine, 56
 α -Amination of Aldehydes, Proline Catalyzed, 395–396
 Anhydride Alcoholysis, Parallel Kinetic Resolution, 266
 Asymmetric Deprotonation
 Epoxides, 74–75
N-Boc Pyrrolidine, 75
 Asymmetric Protonation, 50, 71, 72
 Autocatalysis, 357–360
 Autoinduction
 Generic, 361
 In Diels–Alder, 362–364
 Aza–Morita–Baylis–Hillman Reaction, 400
 Back Bonding, 94
 Benzannulation, 604
 Biaryl Formation, 604, 614–615
 Bifunctional Catalysis, Gold Catalyst, 181–182
 Bifunctional Catalysts, Additions to α -Ketoester, 390–392
 Brønsted Acid Catalysis, 72
 Brook Rearrangement, 61
 C-Acylation, with Planar Chiral DMAP Analogs, 4
- Carboxy Anhydride Alcoholysis, Hydrogen Bonding, 76
 CBS Reduction of Ketones, 380–381
 C–H Activation/Cope Rearrangement, 259
 C–H Hydroxylation, 301, 303
 C–H Insertion, 303–304
 Rhodium Carbenoid, 89
 α -Chelation Control, 430
 β -Chelation Control, 431
 Chirality Exchange, 604
 α -Chlorination, Via Enamine, 53
 Conjugate Addition
 Heterobimetallic Catalysts, 421
 In a Multistep Process, 473, 483
 PTC, 79
 Via Enamine, 53
 Via Umpolung, 61
 Counterion Catalysis, 80–81
 Cross-Coupling, 93, 614–615
 With DKR, 284–286
 Curtin–Hammett, 26, 99
 [2+2] Cycloaddition, 55
 In a Multistep Process, 486
 [2+2+2] Cycloaddition, 106
 [4+1] Cycloaddition, 104
 [5+2] Cycloaddition, 105
 Cycloisomerization, 104–105, 252, 612
 Counterion Catalysis, 81
 Gold Catalyzed, 81
 Cyclopropanation
 Directed, 432
 With an Ylide, 82
 Decarboxylative Allylation, 24
 Deprotonation, 75
 Desymmetrization, Oxabicyclic Alkenes, 308
 Diels–Alder Reaction
 Stereotransfer, 626
 Via Enamine, 54
 Via Iminium, 58
 Dihydroxylation, 19, 84
 Dioxirane, 88
 1,3-Dipolar Cycloaddition, 171
 Directed Electrostatic Activation, 82
 Dynamic Kinetic Asymmetric Transformation of Butenolides, 287–288
 Dynamic Kinetic Resolution, with Proline, 398
 Electron Transfer, in Hydroxylation, 303
 Electrophile Activation, 57
 Electrophilic Alkene Activation, 95–97
 Enamide Hydrogenation, 26, 99
 Enamine Catalysis, 53–56, 474, 483
 Enamine Oxidation, 56
 Ene Reaction, 34
 Two-Directional, 478
 Enolate Alkylation, PTC, 78, 610
 Epoxidation
 Dioxirane, 88
 Directed, 432
 Manganese Salen, 87
 Titanium Catalyst, 85

Mechanism (*cont.*)

- Epoxide Desymmetrization, by Azide, 299
- Epoxide Elimination, 74–75
- Epoxide Opening, with Nonlinear Effects, 338–339
- Felkin–Anh Addition, 430
- α -Fluorination, in a Multistep Process, 483
- Friedel–Crafts Reaction, in a Multistep Process, 473
- Glycine Imine Enolate Alkylation, PTC, 610
- Hajos–Parrish–Eder–Sauer–Weichert Reaction, 52
- Heck Reaction, 317
- Heterobimetallic Catalyst, 74
- Hetero–Diels–Alder Reaction, Hydrogen Bonding, 69
- Hydroacylation, 132, 263
- Hydrocyanation of Aldehydes, Bifunctional Catalyst, 388
- Hydrocyanation of Ketones, with Bifunctional Catalysts, 389–390
- Hydroformylation, 13, 100
- Hydrogenation
 - Counterion Catalysis, 80
 - Transfer, 80
- Hydrosilylation, 618
 - Of Imines, 127
 - Of Siloxydienes, 315
- α -Hydroxylation, in a Multistep Process, 474
- Imine Alkylation, Hydrogen Bonding, 70
- Imine Formation, in a Multistep Process, 486
- Iminium Catalysis, 58, 82, 473, 483
- Intramolecular Cyclopropanation, 257
- Isomerization
 - Allyl Amine to Enamine, 433
 - Of Meso Epoxides, 351–351
- Ketene Alcoholysis, 72
- Ketolactone Reduction, 277
- Ketone Reduction, 385
 - Directed, 434
- α -Ketoester Alkylation, 607
- Kinetic Resolution, Alcohol Acylation, 57
- Kumada Coupling, 615
- β -Lactam Cleavage, in a Multistep Process, 486
- β -Lactam Formation, in a Multistep Process, 486
- Lewis Acid Assisted Brønsted Acid, 72
- Lewis Base/Indium (LA), [2+2] Cycloadditions, 411–412
- Mannich Reaction, Proline Catalyzed, 395–396
- Metathesis, 91
- Michael Reaction, in a Multistep Process, 472
- Morita–Baylis–Hillman Reaction, 399
 - Hydrogen Bonding, 69
- Mukaiyama Aldol Reaction, 37, 178, 341
 - Stereotransfer, 444, 606, 625
 - With Silicon Tetrachloride, 50
 - With Trichlorosilyl Enolate, 48
- N*-Acyl Intermediate, Planar Chiral DMAP Analog, 57, 72
- Nitroaldol Reaction, 416
- Nucleophilic Catalyst, β -Lactam Synthesis, 410
- Oxidative Biaryl Coupling, 615
- α -Oxyamination of Aldehydes, Proline Catalyzed, 395–396
- Phase-Transfer Catalysis, 78–79, 185, 610
- Phosphination, 290
- π -Allylation, 101–103
 - Desymmetrization, 322
 - Dynamic Kinetic Asymmetric Transformation, 23, 102
 - Kinetic Resolution, 22
 - Selective Enantiotopic Face Coordination, 102
 - Via Hydrometallation, 103
- π -Coordination, 94
- Pinacol Coupling, 624
- Platinum–Cinchonidine-Catalyzed Hydrogenation, 524
- Polycyclization, 72
- Probing with Nonlinear Effects, 349–352
- Proline Catalyzed, 395–396
- Proline/Peptide Dual Catalyst System, 409
- Racemization of Alcohols, Ruthenium Catalyzed, 281
- Racemization of *N*-Carboxyanhydrides, 279
- Remote Stereocontrol, 434
- Rhodium Carbenoid, 89
- Ring-Closing Metathesis, 241
- Sharpless–Katsuki Epoxidation, 85, 243
- SOMO Catalysis, 56
- Spirane Formation, 618
- 1,7-Stereocontrol, 434
- Stetter Reaction, 59
- Suzuki Reaction, 93, 614
- Termolecular Ring-Opening, of Carboxyanhydrides, 278
- Transfer Hydrogenation, 80, 172
 - In a Multistep Process, 483
- Umpolung, 61, 70
- Wacker Reaction, 95–97
- Zinc-Catalyzed Hydrosilylation of Ketones, 141
- Mechanism Shift, 11–13
- Melting Point, Racemate vs. Enantioenriched, 331
- Membrane-Encapsulated Catalysts, in Hydrogenation, 532–533
- Menthol, Synthesis of, 433
- Mercury, Test for Colloids, 515–516
- Meso, Definition, 592
- Meso Enediol Ester, in Allylation, in Desymmetrization, 321–322
- Metal Alkoxides, in Bifunctional Catalysis, 378–382
- Metal Carbenoids, in C–H Insertions, 303–306
- Metal Chirality, 139, 149, 583–586
 - Asymmetric Catalysis, 585–586
 - Heterobimetallic Catalysts, 413–422
 - Iridium, 169
 - Rhodium, 169
 - Titanium, 139
- Metal Complexation, Asymmetric, 618
- Metal Complexes, Chiral, from Chiral Ligands, 118
- Metal Geometries
 - Changes in, 387–388
 - Octahedral, 583

- Metal Geometries (*cont.*)
Square Pyramidal, 583
Tetrahedral, 583
Trigonal Bipyramidal, 583
- Metal Geometry-Induced Ligand Asymmetry, 219–223
- Metal Oxo, in Hydroxylations, 301
- Metallocene Catalysts, Asymmetric Induction with, 126
- Metallocenes, in Hydrosilylation of Imines, Kinetic Resolution, 246–248
- Metal–Organic Coordination Networks, as Supported Catalysts, 516–521
- Metal–Organic Coordination Polymers, in Ketone Reduction, 520–521
- Metals, Centrochirality, 583–586
- Metathesis, Alkene
Desymmetrization, 90–91, 553
In a Multistep Reaction, 90, 459–460, 467–468
Kinetic Resolution, 90, 240–242
Large-Scale Reaction, 553
Molybdenum Catalysts, 90–91
Ruthenium Catalysts, 90–91
Supported Catalysts, 512–513
Tungsten Catalysts, 90
- Methods for Heterogenization
- Methylene Bis(Phenol)
Geometry-Induced Ligand Acceleration, 220
Isomerization, 220
- MIB, Zinc Catalyst, Aldehyde Alkylation, 469–471
- Michael Reaction
Bifunctional Ni,Cs Catalyst, 9–10
Carbene Catalyst, 58
Glycine-Imine Enolates, 78
Heterobimetallic Al,Li Catalyst, 463–464, 553
Imidazolidine Catalyst, 471–472
In a Multistep Reaction, 463–464, 471–472, 482–483
Ketones, 207–209
Large-Scale Reaction, 553
Nitroalkanes, 207–209
- Microencapsulated Catalysts, 529–531
- Microenvironment Modification, 107
- Mismatched, 428, 434, 436–450
- ML₂, Nonlinear Effects, 340–343
- Molecular Sieves, as Solid Supports, 506–508
- Molybdenum Catalysts
BINOL Derivative Complex, 90–91
Biphenol Complex, 553
Large-Scale Reaction, 553
Metathesis, 90–91, 553
Ring-Closing Metathesis, 240–242, 512–513
- Monodentate Phosphine
In Hydrosilylation, 321
Synthesis of, Via DKR, 321
- Morita–Baylis–Hillman Reaction, 399, 407–408
BINOL Derivative Catalyst, 68–69
- Muconin, 557–558
- Mukaiyama Aldol Reaction; see Aldol Reaction
- Multifunctional Catalysis, 81–82, 107
Henry Reaction, 416–417
Mukaiyama Aldol Reaction, 413–421
Nitroaldol, 416–417
- Multiple Catalysts, on One Support, 538–541
- Multistep Asymmetric Catalysis, 456–491
Asymmetric Catalysis in First Step, 457–461
Asymmetric Catalysis in Later Step, 461–62
Asymmetric Catalysis in Several Steps, 484–487
Dynamic Kinetic Resolution, 488–489
Independent Enantioselective Reactions, 475–483
Kinetic Resolution, 487
Parallel Kinetic Resolution, 489–490
Stereochemistry in Several Steps, 462–475
- Multistep Processes, Definition; see Multistep Asymmetric Catalysis
- N**
- N,N*-Diethylgeranylamine, Synthesis of, 433
- NADH Mimic, Transfer Hydrogenation, 80
- Nanoparticles
As Supports, 508–509
Chiral Palladium, in Allylation, 515–516
Heck Reaction, 540–541
- Naphthoquinones, Diels–Alder Reaction, 41, 44
- Naphthylisoquinoline Alkaloid, 593
- Naproxen
Synthesis of, 25
With Supported Catalysts, 513–515
- Natural Product Synthesis, Via Desymmetrization, 323–325
- Nazarov Reaction, 73
- N*-Chirogenicity, 581
- Negative Nonlinear Effects; see Nonlinear Effects
- Nexium, Synthesis of, 582, 609
- Nickel Catalysts
BINAP, 307–308
Conjugate Additions to Enones, 506–508
- Nitrene, Aziridination, 156–157
- Nitroaldol
Heterobimetallic Catalysts, 416–417
In a Multistep Reaction, Heterobimetallic Catalyst, 479
- Nitrogen, Centrochirality, 581
- Nitrogen Inversion, 147, 157
- Nitronate, in the Nitroaldol, 416
- NMR
¹⁵N, in Isomerization of Meso Epoxides, 351
⁶Li, in Isomerization of Meso Epoxides, 351
Observation of Diastereomeric Interactions, 332
- Nobel Prize, v
- Noncovalent Interactions, in Supported Catalysts, 522–533
- Nonlinear Effects, 194, 197, 335–357
Absolute Asymmetric Synthesis, 360–361
Aldehyde Alkylation, 343–347
Aldehyde Allylation, 352–355
Phosphoramidates, 352–355
Aldehyde Hydrocyanation, 368
Aldol Reaction, 365
 α -Aminoxylation, 355–357

Nonlinear Effects (*cont.*)

- Autocatalysis, 357–360
 - Benefits of, 337
 - (BINOLate)Ti Catalysts, 335–336
 - Catalyst Preparation Dependency, 347–348
 - Desymmetrization of Epoxides, 338–339
 - Determination of, 337–338
 - Epoxide Opening, 338–339
 - Epoxide Opening, Energy Diagrams, 339
 - False Positive, 338, 349
 - Hajos–Parrish–Eder–Sauer–Wiechert Reaction, 393
 - Heterogeneous Mixtures, 355–357
 - Hexose Formation, with Proline, 397
 - Homochirality Origin, 360–361
 - Hydrocyanation, 368
 - Isomerization of Meso Epoxides, 349–352
 - Lewis Base Catalysis, Allylation of Aldehydes, 352–355
 - Mechanistic Probes, 335–339, 349–354
 - Mukaiyama Aldol Reaction, 342
 - Negative
 - Definition, 337
 - With (BINOLate)Ti, 335–336
 - Origins of, 337–338
 - Phase Behavior, 355–357
 - Positive, Definition, 337
 - Precipitation, 349
 - Proline, in Hexose Formation, 397
 - Reservoir Effect, (ML)₂, 343–347
 - Reservoir Effect, ML₂, 340–343
 - Salen–Chromium Catalysts, 338–339
 - Second-Order in Catalyst, 338–339
 - Solubility Problems, 338, 349, 355–357
 - Substrate Dependence, 346–347
- Noyori, Ryoji, v
- Nozaki–Hiyama–Kishi Reaction
 - Double Diastereoselection, 450–452
 - Triple Diastereoselection, 450–452
- Nucleophile Activation, 53–55
- Nucleophile Trajectory, 119
- Nucleophiles, in Allylation, 325
- Nucleophilic Catalysis; see Lewis Base Catalysis vs. Brønsted Acid Catalysis, 72–73
 - Aldehydes, 216, 218
 - Achiral Ligands, 215–216
 - Autocatalysis, 197
 - BINOLate Ligands, 217–219
 - Chiral Activation, 205
 - Relative Rates, 218–219
- O**
- Olean, 580
- Olefin Metathesis; see Metathesis
- Olive Fruit Fly Pheromone; see Olean
- Omeprazole, Synthesis of; see Prilosec
- One-Point Binding, Lewis Acid Catalysis, 34–35, 39–42
- Optical Purity, 591
- Optical Rotations
 - Importance of Polar Solvents, 332
 - Substrates That Hydrogen Bond, 332–333
- Organic Supports, 497
- Organocatalysis, v
 - Supported Catalysts, 535–536
- Organocatalysts
 - α -Amino Acid, Cyclopropanation, 81–82
 - Azadiene, Metal Complexation, 618
 - Binaphthalene-Derived Ammonium
 - Conjugate Addition, 79
 - Enolate Alkylation, 79, 446–447
 - PTC Catalysts, 79, 446–447
 - BINOL Derivative, Morita–Baylis–Hillman Reaction, 69
 - BINOL Phosphoric Acid
 - Conjugate Addition, 80
 - Counterion Catalysis, 80–81
 - Cycloisomerization, 81
 - Diazoester Nucleophile, 70
 - Imine Addition, 70
 - Transfer Hydrogenation, 80
 - BINOL-Phosphine Catalyst, in Aza-Morita–Baylis–Hillman Reaction, 401
 - BINOL-Pyridine Derivatives, in Morita–Baylis–Hillman Reaction, 399–400
- Carbene
 - Stetter Reaction, 59
 - Umpolung Reaction, 59
- Cinchona Alkaloids, 264–266
 - Anhydride Alcoholysis, 76
 - [2+2] Cycloaddition, 54, 485–486, 552
 - Enolate Alkylation, 78, 581, 610, 613
 - In a Multistep Reaction, 485–486
 - Ion-Pair Catalysis, 78, 581, 610, 613
 - Kinetic Resolution, 76
 - Large-Scale, 552
 - PTC Catalysis, 78, 581, 610, 613
- Diamine
 - Asymmetric Deprotonation, 75
 - Asymmetric Protonation, 71
 - Epoxide Elimination, 74
 - Epoxide Rearrangement, 75
- Diketopiperazine, Hydrocyanation, 67
- Dipeptide, Hydrocyanation, 67
- Epoxidation, Via Dioxirane, 87–88
- Fructose Derived, Epoxidation, 87–88, 569–571
- α -Hydroxy Acid, α -Amination, 606
- Imidazolidine
 - In a Multistep Reaction, 471–472
 - Michael Reaction, 471–472
- Imidazolidinone
 - Aldehyde α -Allylation, 56
 - Aldehyde α -Chlorination, 53
 - Aldehyde α -Fluorination, 482–483
 - Diels–Alder Reaction, 56–58
 - Enamine Catalysis, 53, 482–483
 - Friedel–Crafts Reaction, 472–473
 - Iminium Catalysis, 56–58, 472–473, 482–483
 - In a Multistep Reaction, 472–474, 482–483
 - SOMO Catalysis, 56
 - Transfer Hydrogenation, 482–483
- Ketone, Dioxirane Epoxidation, 87–88, 569–571
- Nucleophilic Catalysts, 409–413

Organocatalysts (*cont.*)

- Peptide
 - Alcohol Acylation, 612
 - Alcohol Phosphorylation, 621–622
- Phosphine, Acylation of Alcohols, 260–262
- Phosphite
 - Brook Rearrangement, 60–61
 - Umpolung Reaction, 60–61
- Phosphoramides, Mukaiyama Aldol Reaction, 48–49
- Proline
 - Aldol Reaction, 8–9, 392–398, 627
 - Hajos–Parrish–Eder–Sauer–Weichert Reaction, 52, 67, 392–393
 - α -Hydroxylation, 474
 - In a Multistep Reaction, 472
 - Mannich Reaction, 472–474, 608
- Proline, Morita–Baylis–Hillman Reaction, 407–409
- Proline Derivatives, 207–208
- Pyrrolidine Derivative
 - Conjugate Addition, 53
 - Hetero-Diels–Alder Reaction, 54
 - Synthesis of Cryptophycin 52, 569–571
- TADDOL
 - α -Amination, 606
 - Diels–Alder Reaction, 68–69
 - Hetero-Diels–Alder Reaction, 68–69
- Thiourea
 - Imine Substrate, 68
 - Mannich-Type Reaction, 68
- Triamine, Enolate Protonation, 50
- Urea, Strecker Reaction, 611
- Organometallic Catalysts, *v*
- Organozinc Reagents, Reaction with Allylic Epoxides, 266–267
- Osmium Catalysts, 247–249
 - Cinchona Alkaloid, 19–20, 83–84, 445–446, 475–477, 481–482, 552, 559–560, 565–566, 605, 616, 628–629
 - Dihydroxylation, 19–20, 83–84, 445–446, 475–477, 481–482, 552, 559–560, 565–566, 605, 616, 628–629
 - Large-Scale, 552
 - Layered Double Hydroxides, 526
 - Multistep Reaction, 475–477, 481–482
 - Squalene, 565–566, 605
 - Synthesis of Zaragozic Acid, 559–560
- Oxazaborolidines, Ketone Reduction, 379–381
- Oxazaborolidinone, Supported on Polystyrene, in Diels–Alder, 510–511
- Oxaziridines, 581
- Oxidation
 - Alcohols
 - Desymmetrization, 610
 - Enantiotopic Group Differentiation, 610
 - Ruthenium Catalyst, 610
 - Benzylic Alcohols, Palladium Catalyst, 26–27
 - Kinetic Resolution, Palladium Catalyst, 26–27
 - Sulfide
 - Large-Scale, 552, 609
 - Titanium Catalyst, 552, 609
 - Oxidative Activation, 55–56, 484–485, 562, 614–615
 - Oxidative Biaryl Coupling
 - Atropisomers, 484–485, 562, 614–615
 - Complex Substrates, 562
 - Enantiofacial Differentiation, 614–615
 - In a Multistep Reaction, 484–485
 - Oxidative Coupling, of 2-Naphthol, 536–538
 - Oxidative Cyclization, of Enynes, 215
 - Oxindole, Via Heck Reaction, 98
 - Oxygenation, Sulfides, Enantiotopic Group Differentiation, 552, 609
 - Oxypalladation, in a Multistep Reaction, 460–461

P

- π -Allylation, 116
- π - π Interactions, 70,76
- π -Allyl Complexes
 - Cationic, 100–103
 - Via Hydrometallation, 103–104
- π -Allyl Intermediates, 266–267, 288
 - Heck Reaction, 318–319
- π -Allylation, *vii*, 21–25
- C_2 -Symmetric Ligands, 116
 - Decarboxylation, 24, 555
 - Desymmetrization, 102
 - Differentiation of Enantiotopic Termini, 100–102
 - Double Diastereoselective, 571–572
 - Dynamic Kinetic Asymmetric Transformation, 23–24, 101–102
 - Enantiodiscrimination Mechanisms, 101–102
 - Enantiotopic Facial Discrimination, 101–102
 - From Styrenes, 103–104
 - In a Multistep Reaction, 468–469
 - Intramolecular, 102–103
 - Kinetic Resolution, 21–23
 - Large-Scale, 553–554
 - Non- C_2 -Symmetric Ligands, 116
 - Palladium Catalysts, 21–25, 100–103, 468–469, 553–554, 555, 561, 571–572, 616–617
 - Selective Reaction of Enantiotopic Leaving Groups, 101–102
 - Synthesis of Callipeltoside A Synthesis, 571–572
 - Synthesis of Sphingofungin E Synthesis, 561
 - Synthesis of Strychnine Synthesis, 555
 - To Alkylidene Cyclohexanes, 616–617
 - Via Hydrometallation, 103–104
- η^2 -Coordination, 100–103
- π - σ - π Interconversion, 116
- π -Activation, 100–103
- π -Benzyl Complexes
 - Cationic, 103–104
 - Via Hydrometallation, 103–104
- π -Coordination
 - Activation, 93–107
 - Back Bonding, 93–94
 - Double η^2 , 105–107
 - Orbital Interactions, 93–94
 - η^2 , 94–100
 - η^3 , 100–104

π -Coordination (*cont.*)

- η^4 , 104–105
- η^5 , 104
- η^6 , 93–94, 104
- π - π Interactions, 166
- P*, Axial chirality, 587
- P*, Helical chirality, 589
- P*, Planar chirality, 590
- Palladium Catalysts, 123
 - Alcohol Oxidation, 26–27
 - Anhydride Desymmetrization, 621–622
 - Apparent DKR, 24
 - BINAP Complex, 94–95, 103, 566–567, 616–617
 - Binaphthyl Bisoxazoline Complex, 96
 - BINAPO Complex, 555
 - BOXAX Complex, 460–461
 - Callipeltoside A Synthesis, 571–572
 - Complex Substrates, 566–567
 - Cross-Coupling, 92–93, 613–615, 619, 621–622
 - Desymmetrization, 320–321
 - Cycloisomerization, 611
 - Decarboxylative Allylation, 24, 555
 - Desymmetrization, Oxabicyclic Alkenes, 307–308
 - Desymmetrization, Via Allylation, 321–323
 - DPPBA Complex, 21–24, 102–103, 553–554, 561, 571–572
 - Dynamic Kinetic Asymmetric Transformation, 287–291, 292–293
 - Ferrocenyl Phosphine Complex, 92–93, 613, 619, 621–622
 - Heck Reaction, 97–98, 317–319, 566–567
 - Hydrometallation, 103
 - In a Multistep Reaction, 460–461
 - JOSIPHOS Complex, 621–622
 - Kinetic Resolution, 26–27
 - Kumada Reaction, 613, 615
 - Large-Scale Reaction, 553–554
 - Nanoparticles, in Allylation, 515–516
 - Oxidation, 26–27
 - π -Allyl Intermediate, 24, 100–103
 - π -Allylation, 21–24, 100–103, 553–554, 555, 561, 616–617
 - Phosphinooxazoline Complex, 24, 97
 - Psycholeine Synthesis, 319–320, 566–567
 - Quadrigemine C Synthesis, 319–320, 566–567
 - Segphos Complex, 611
 - Sparteine Complex, 26–27, 628
 - Sphingofungin E Synthesis, 561
 - Spiro Bisoxazoline Complex, 97
 - Strychnine Synthesis, 555
 - Suzuki Reaction, 92–93, 614
 - Wacker Reaction, 94–97, 460–461, 628
 - Wagner–Meerwein Shift, 103
 - Bifunctional Catalysts, 401–403
 - Dynamic Kinetic Asymmetric Transformation, 23–24, 102
 - Kinetic Resolution, 21–23
- Pancratistatin, Synthesis of, 101, 324–325
- Paracyclophane, 589–590
- Parallel Kinetic Resolution, 255–269, 449, 482, 489–490, 572–574
 - Acylation Catalyst, 260–262
 - Chemodivergent, 256–262
 - Concepts, 255–256
 - Dual-Catalyst System, 260–262
 - Enzymes, 268
 - Ketone Reduction, 268
 - Regiodivergent, 262–268
 - Stereodivergent, 268–269
 - Vs. Kinetic Resolution, 256
- P*-Chirogenic Phosphines
 - CAMP, DIPAMP, 582
 - Dynamic Kinetic Asymmetric Transformation, 288–290
- P*-Chirogenicity, 332
- Penam Antibiotics
 - Synthesis of, with Supported Catalysts, 542
 - β -Lactams, 409
- Penicillin, β -Lactams, 409
- Peptide, Copper Complex, Conjugate Addition, 467
- Peptide Catalysts
 - Alcohol Acylation, 612
 - Alcohol Phosphorylation, 621–622
 - Desymmetrization of Meso Diols, 309–310
 - Hydrocyanation, 67, 367
 - Morita–Baylis–Hillman Reaction, 407–409
- Perlactone B, Synthesis of, Via Cross Aldol, 394–395
- Perylenequinones, 562
- PHANEPHOS, 589–590
- Pharmacophores, β -Lactams, 409
- Phase Behavior, on Nonlinear Effects, 355–357
- Phase Isolation, in Parallel Kinetic Resolution, 259–260
- Phase-Transfer Catalysis (PTC), 77–79, 179–181, 184–187, 446–447, 581, 609–610, 613–614
 - Binaphthalene, 78–79, 446–447, 581
 - C_2 -Symmetric, 78–79, 446–447, 581
 - Cinchona Alkaloids, 78, 581, 610, 613
 - Conjugate Addition, 79
 - Double Diastereoselection, 446–447
 - DyKAT, 613–614
 - Electrostatic Interactions, 184
 - Enantioface Differentiation, 609–610
 - Enolate Alkylation, 77–79, 446–447, 581, 609–610, 613
 - van der Waals Forces, 184
- Phelix, Rhodium Complex, Enamide Hydrogenation, 589
- Phenols, in Allylation Reactions, 322–323
- Phenylsilane, 126
- Phosphination, with Dynamic Kinetic Asymmetric Transformation, 288–290
- Phosphine, Chirality, 129, 288–290, 581
- Phosphine, Edge-Face Interactions, 130, 144
- Phosphine Arsine, Chirality, 581
- Phosphine Borane, Chirality, 581
- Phosphine Ligands
 - Enamide Hydrogenation, 11
 - Temperature Effect, 11
- Phosphine Metal Complex, Chirality, 581

- Phosphine Oxide
As Achiral Additive, Aldehyde Hydrocyanation, 387–388
Chirality, 581
Phosphine Sulfide, Chirality, 581
Phosphinic Amides, Homochiral vs. Heterochiral Association, Via Hydrogen Bonds, 332
Phosphinooxazoline
Decarboxylative Allylation, 24
Heck Reaction, 97–98
Hydrogenation, 551
Palladium Complex, 24, 97–98
Platinum Complex, 551
Phosphite Catalyst
Brook Rearrangement, 60–61
Umpolung Activation, 60–61
Phosphonium Salt, Chirality, 581
Phosphoramidates, Lewis Base Catalysts, 352–355
Phosphoramidate Catalysts
Mukaiyama Aldol Reaction, 47–50
Mukaiyama Aldol Reaction, Linked, 49
Silicon Activation, 47–50
Phosphoramidite
Allylic Substitution, 459–460
Conjugate Addition, 464–465, 468
Copper Catalyst, 459–460, 464–465
Phosphorous, Centrochirality, 582
Phosphorylation
Alcohol, 621–622
Alcohol, Desymmetrization, 621–622
Alcohol, Enantiotopic Group Differentiation, 621–622
Phox; see Phosphinooxazoline
Pinacol Coupling, Enantioface Differentiation, Chromium Catalyst, 624
 pK_a , Values, 67, 76–77
Planar Chiral Catalysts, 589–590
Alcohol Acylation, 56–57
Desymmetrization, 309–310
DMAP Derivatives, 4, 56–57, 72
Kinetic Resolution, 56–57, 234–237
Planar Chirality, 179–183, 589–590
Generation of, 618–619
Via Asymmetric Complexation, 618
Via Asymmetric Substitution, 618–619
Platinum Catalysts
Cinchonidine Modified, 522–524, 551
Diels–Alder Reaction, 215
Heterogeneous Hydrogenation Catalysts, 522–524
Hydroformylation, Mechanism Shift, 13–14
Hydrogenation, α -Ketoester, 551
Large-Scale Reaction, 551
PMHS; see Polymethylhydrosiloxane
Polycyclization, 71–72, 567–568
Polyester Support, Hydrogenation Catalysts, 513–515
Polymer-Supported Catalysts, 498–508
Catalyst Construction in Pores, 499
Coordination Polymers, 498
Parallel Kinetic Resolution, 260–262
Via Charge–Charge Interactions, 499
Via Polymer Derivatization, 498
Via Tethering, 499
Polymethylhydrosiloxane (PMHS), 126
Polyprenoid, Via Polycyclization, 71–72, 567–568
Polystyrene
Modified, Argogels, 500
Modified, Tentagel, 500
Salen-Supported, Epoxide-Opening, 501
Supports, 500–501
With Supported Catalysts, 510–511
Pore Size, in Silica, Impact on Enantioselectivity, 533–535
Positive Nonlinear Effect; see Nonlinear Effect
 pR , 590
Pressure Effects, 16–17
Benzyl Alcohol Oxidation, 26
Prilosec, Synthesis of, 582
Privileged Structures, Salen, 237
Pro-(*R*), Definition, 596, 598
Pro-(*S*), Definition, 596, 598
Prochiral, Definition, 593–598
Prochiral Compounds, Transformation to Chiral Compounds, 609–611, 619–625
Product Catalyst Interactions, 360–361
Product Inhibition, 17
Proline, 207–208
Aldol Reaction, 8–9, 52, 67, 392–398, 627
 α -Amination of Aldehydes, 395–396
Crystallization, 355–357
Diastereomeric Dual Catalysts, 408
Dual Catalyst, 407–409
Dynamic Kinetic Resolution, 398
Hajos–Parrish–Eder–Sauer–Weichert Reaction, 52, 67, 392–393
Hydrogen Bonds, with Chloroform, 355–357
In a Multistep Reaction, 472–474
Mannich Reaction, 395–396, 472–474, 607–608
Morita–Baylis–Hillman Reaction, 407–409
Nonlinear Effects, 355–357
Organocatalysis, 8–9, 52, 67, 392–398, 472–474, 607–608, 627
 α -Oxyamination of Aldehydes, 395–396
 pK_a , 67
Tandem Reactions, 397
Proline Methyl Ester, pK_a , 67
Propargylic Alcohol
Acylation, 56–57
Ketone Reduction, 445
Kinetic Resolution, 56–57
Via Ene Reaction, 306
Propios
Enamide Hydrogenation, Temperature Effect, 11
Rhodium Complex, 11
Prostaglandin
Synthesis of, 463–4460–46165
Synthesis of, Via Desymmetrization, 563
Proton Sponge, 54–55, 485–486
Protonation, Asymmetric, 70–73, 567–568
Conjugate Addition, 558–559

- Protonation, Asymmetric (*cont.*)
 Diamine, 70–71
 Heterobimetallic Catalyst, 558–559
 Lewis Acid Assisted Brønsted Acid, 72–73
 Lithium Enolate, 50, 70–71
 Polycyclization, 72–73
 Triamine, 50
pS, 590
 Pseudoenantiomers, 592, 628–629
 Quinine vs. Quinidine, 628–629
 Psycholeine, Synthesis of, 319–320, 566–567
 Pybox; see Pyridine Bisoxazoline
 Pyranone, Via Hetero-Diels–Alder Reaction, 68–69,
 447–448, 480, 557–558
 Pyrazoline, Via Conjugate Addition, 468–469
 Pyrethroid Insecticide, Synthesis of, Via
 Hydrocyanation, 367
 Pyridine Bisoxazoline
 Copper Catalyst, 18, 35–38, 442–444, 601, 624–625,
 631
 Diels–Alder Reaction, 18, 44–45
 Friedel–Crafts Reaction, 45
 Gadolinium Complex, 44–45
 Mukaiyama Aldol Reaction, 35–38, 442–444, 601,
 606, 624–625, 631
 Scandium Complex, 45
 Tin Complex, 606, 631
 Pyrimidinyl Alcohols, Generation of, 357–360
 Pyrrolidine Catalyst
 Conjugation Addition, 53
 Hetero-Diels–Alder Reaction, 54
 Pyrrolidines
 Via C–H Insertion, 441–442, 449–450, 564–565,
 620–621
 Via Cycloisomerization, 80–81
 Pyrroloindoline
 Via Friedel–Crafts/ Amino Formation Sequence,
 472–473
 Via Heck Reaction, 566–567
 Quadrant Diagrams, 117
 C–H Insertion, 305
 Copper Bisoxazoline Catalyst, 606
 Ferrocene-Based Catalyst, 234
 Hydroacylation, 133
 Hydrogenation, 146
 Quadrigemine C, 319–320, 566–567
 QUINAP
 Diboration, 460–461
 Rhodium Complex, 460–461
 Quinidine; see Cinchona Alkaloids
 Quinine; see Cinchona Alkaloids
 Quininium, pK_a , 67
- R**
R; see Cahn–Ingold–Prelog Convention
 Racemate, Definition, 590–591
 Racemates, Physical Properties, 331–335
 Racemic Compounds, Transformation to
 Enantiopure Compounds, 612–614, 625–627
 Racemization
 Definition, 591
 Dynamic Kinetic Resolution, 272
 Aldol Reaction, 282
 Grignard Reagents, 284–286
 Nucleophilic Substitution, 284
 Of Allylic Acetates, 283
 Of Carboxyanhydrides, 280
 Of Organometallics, 320–321
 Of Secondary Phosphines, 288–290
 Organozinc Reagents, 284–286
 Via Oxidation–Reduction, 488–489
 Radical Decay, in C–H Hydroxylations, 301–302
 Radical Intermediates, in C–H Hydroxylations, 301
 Rate-Determining Step, (rds); see Turnover-
 Limiting Step
Re, Definition, 598
 Reaction Coordinate Diagrams
 Catalyzed Background Reaction, 18
 Double Diastereoselection, 438
 Dynamic Kinetic Asymmetric Transformation, 22
 Dynamic Kinetic Resolution, 22
 Kinetic Resolution, 21
 Ligand-Decelerated Catalysis, 17, 18
 Multiple-Pathway Reactions, 7
 Simple Asymmetric Induction, 3
 Recycling, of Supported Hydrogenation Catalysts,
 513–515
 Reduction
 Copper Catalyst, 51
 Denopamine Synthesis, 560–561
 Fostriecin Synthesis, 572–573
 Ketones, 51, 170–171, 273–278, 445, 480–481, 488,
 551, 556–557, 560–561, 568–569, 572–573,
 626–627
 Bifunctional Catalysts, 382–386
 Diastereoselection, 428–429
 1,7-Diastereoselection, 434
 Oxazaborolidines, 379–381
 Via Dynamic Kinetic Resolution, 276
 With Self-Supported Catalysts, 520–521
 Large-Scale, 551
 Ruthenium Catalyst, 445, 480–481, 488, 551,
 556–557, 560–561, 626–627
 Taurospingin A Synthesis, 568–569
 Reductive Cyclization, of Enynes, 215
 Regiocontrol
 α -Amination, 605
 Asymmetric Catalysts, 448–450
 C–H Insertion, 449–450
 Epoxide Opening, 448–449
 α -Hydroxylation, 605
 Mukaiyama Aldol Reaction, 605
 Substrate Directed, 432–433, 605
 Regioselection, Definition, 604–608
 Relative Rates
 Aldehyde Alkylation, 218–219
 Diastereomeric Catalysts, 201–202
 Remote Stereocontrol, 434–436
 Reservoir Effect
 Nonlinear Effects, $(ML)_2$, 343–347
 Nonlinear Effects, ML_2 , 340–343

- Rhodium Catalysts, 26, 250–252
 Asymmetric Amplification, 564–565
 BINAP Complex, 105, 433, 465–466, 480–481, 489–490, 552
 BINAPHOS Complex, 99–100, 553
 BIPHEPHOS Complex, 459
 Bisphosphine, 215
 C–H Insertion, 89–90, 303–306, 441–442, 449–450, 564–565, 619–621
 Chiraphos Complex, 25–26, 98–99
 Conjugate Addition, 465–466, 489–490, 616–617
 [4+1] Cycloaddition, 104
 [5+2] Cycloaddition, 105
 Diboration, 460–461
 DIPAMP Complex, vii
 1,3-Dipolar Cycloaddition, 168
 DOSP Complex, 89–90, 441–442, 449–450, 564–565, 619–621
 DuPHOS Complex, 104, 435–436, 457–459, 551, 602, 623
 Enamide, Hydrogenation, vii, 10–13, 25–26, 98–99, 435–436, 444–445, 457–459, 480–481, 551, 586, 602, 623
 Eniphos Complex, 551
 Hydroformylation, 99–100, 553
 Hydrogenation
 Alkene, 551, 589
 Enamide, vii, 10–13, 25–26, 98–99, 435–436, 444–445, 457–459, 480–481, 551, 586, 602, 623
 Of Ketoesters, 533–535
 With Ion-Exchanged Catalysts, 525
 With Supported Catalysts, 532–533
 Hydrosilylation, 314–316, 616–618
 In a Multistep Reaction, 457–459, 465–466, 460–461, 489–490
 Isomerization, 433, 552
 JOSIPHOS Complex, 444–445
 MACIM Complex, 619–620
 Parallel Kinetic Resolution, 256–257, 262–264, 489–490
 Phelix Complex, 589
 Phosphine Ligand Complexes, Enamide
 Hydrogenation, 10–13
 QUINAP Complex, 460–461
 Segphos Complex, 616–617
 SILOP Complex, 616–618
 Spirane Formation, 616–618
 Supported Hydrogenation Catalyst, 503–504, 506–508
 Ring Opening of Oxabicyclic Alkenes,
 Desymmetrization, 306–307
 Ring Expansion, 468
 Robinson Annulation, 52
 ROMP, Generation of Supported Catalysts, 512–513
 Rotation–Reflection Axes, 578
 Ruthenium Catalysts, 131
 Alcohol Oxidation, 610
 Alcohol Racemization, 488
 Alkene Hydrogenation, 551, 568–569, 605
 α -Amino Ketone Reduction, 560–561
 Bifunctional Catalysts, Ketone Reduction, 382–386
 BINAP Complex, 480–481, 551, 560–561, 568–569, 605, 626–627
 Combined with Enzymes, in DKR, 281
 Complex Substrate, 560–561
 Cyclopentylhydroxy, Dynamic Kinetic Resolution, 281
 DAIPEN Complex, 560–561
 Denopamine Synthesis, 560–561
 Desymmetrization, 610
 Dolichols Synthesis, 605
 Double Diastereoselection, 445, 568–569, 572–573
 DuPHOS Complex, 551
 Enantiotopic Group Differentiation, 610
 Fostriecin Synthesis, 572–573
 FR901464 Synthesis, 556–557
 α -Hydroxy Ketone Reduction, 551
 In a Multistep Reaction, 480–481, 488
 β -Ketoester Reduction, 480–481, 551, 626–627
 Ketone Reduction, 201, 210–216, 273–278, 445, 480–481, 488, 551, 556–557, 560–561, 568–569, 572–573, 626–627
 Large-Scale Reaction, 551
 Metathesis, 90–91, 240–241
 Sequential Reaction, 459–460, 467–468
N-Tosyl Diamide Complex, 445, 556–557, 568–569, 572–573, 610
 Oxidation, 610
 Racemization, 488
 Regioselective, 605
 Sequential Reaction, Metathesis, 459–460, 467–468
 Supported Hydrogenation Catalyst, 513–515, 517–519
 Taurospingin A Synthesis, 568–569
 TMBTP Complex, 551
 Transfer Hydrogenation, 170–174, 445, 480–481, 488, 556–557, 560–561, 572–573, 610
 Trimethyldodecanol Synthesis, 568–569
- S**
 σ -Plane, 596
S, Cahn–Ingold–Prelog Convention
s (Selectivity Factor), 232
 Salen Catalysts
 Alkylation, of α -Ketoesters, 607
 Bifunctional Catalyst, 607
 Bifunctional Ni,Cs Catalyst, 9–10
 Chromium Complex, 448–449, 557–558
 Cobalt Complex, 552, 557–558
 Cyclopropanation, 223
 Epoxidation, 84, 86–87, 552, 569–571
 Epoxide Opening
 Azide, 448–449
 Water, 552, 557–558
 Hetero-Diels–Alder Reaction, 557–558
 Manganese Catalyst, 84, 86–87, 552, 569–571
 Michael Reaction, 9–10
 Supported, 501
 Titanium Complex, 607

- Sanfetrinem, Intermediate in the Synthesis of, 277
- S Axes, 578
- Scalemic, Definition, 591
- Scandium Catalysts
- Friedel–Crafts Reaction, 45
 - Pyridine Bisoxazoline Complex, 45
- Schiff Base
- Chromium Complex, 34–35, 41, 447–448, 556–557
 - Conjugate Addition, 467–468
 - Copper Complex, vii, 467–468
 - Cyclopropanation, vii
 - Diels–Alder Reaction, 41
 - Hetero-Diels–Alder Reaction, 34–35, 556–557
- S-Chirogenicity, 316, 582–583
- Second Coordination Sphere, in Ketone
- Hydrogenation Catalysts, 386
- Second-Order Catalyst
- Deactivation, 503–504
 - Dual Catalysts, 403
 - Mukaiyama Aldol, 47–50
 - Phosphoramidate, Alkylation of Aldehydes, 353
 - With Supported Catalysts, 502–503
- Secondary Interactions, 41–42, 166, 168
- SEGPPOS
- Conjugate Addition, 616–617
 - Cycloisomerization, 611
 - Formation of Axial Chiral Allenes, 616–617
 - Hydrometallation, 103
 - Palladium Complex, 103, 611
 - Rhodium Complex, 616–617
- Selectivity Factor; see k_{rel}
- Self-Assembly
- Bifunctional Catalysts, 378–382
 - Heterobimetallic Catalysts, 413
 - Metal–Organic Coordination Networks, 516–521
- Self-Supported Catalysts, 520–521
- Semicorrin, 118
- Sequential Processes, 90, 457–461, 464–465, 467–471, 473–483, 485–486, 488–489
- Definition; see Multistep Asymmetric Catalysis, 456
 - Reaction Atmosphere, 458–459
- Sequential Reactions, with Supported Catalysts, 541–543
- Shape Exclusion, 107
- Sharpless Asymmetric Dihydroxylation (AD); see Dihydroxylation
- Sharpless, K. Barry, vs. Sharpless–Katsuki
- Asymmetric Epoxidation; see Epoxidation
- Ship in a Bottle, 529
- Si*, Definition, 598
- Siam, *S*-Chirogenicity, 582–583
- Si*-Chirogenicity, 580–581
- Si–H Insertion, 316
- Silanols, pK_a , 501
- Silica
- Catalyst Loadings, 503–504
 - Control of Catalyst Density, 502–503
 - Continuous Flow Systems, with HKR, 502–503
 - Mesoporous, 505–506
 - Support for Salens, in HKR, 501–506
- Silicon, Centrochirality, 580–581
- Silicon Catalysts
- Hypervalent Activation, 46
 - Mukaiyama Aldol Reaction, 47–50
- Silicon Tetrachloride, 49–50
- SILOP, Rhodium Complex, Hydrosilylation, 616–618
- Silver Catalysts
- Aldehyde Allylation, 572–573
 - BINAP Complex, 572–573
 - Fostriecin Synthesis, 572–573
- Silyl Transfer, 36–37
- Simmons–Smith; see Cyclopropanation
- Simple Diastereoselection; see Diastereoselection, Simple
- Single-Electron Transfer, 55–56
- Site Isolation, in Supported Catalysts, 502–503, 504
- S_N1 Reaction, 603
- S_N2 Reaction, 603
- S_N2' Displacement
- Copper Catalysts, 459–460
 - In a Multistep Reaction, 459–460
- S_n axis, 596
- Soai Reaction, 357–360
- Sol-Gel, Encapsulation of Catalysts with, 532–533
- Solubility
- Nonlinear Effects, 355–357
 - Racemate vs. Enantioenriched, Nonlinear Effects, 331, 355–357
- Soluble Polymeric Supports, with Hydrogenation Catalysts, 513–515
- Solution Spectra, Racemate vs. Enantioenriched, 332–333
- Solvent Effects, 15–16
- Solvent-Free Reactions, 16
- Solvent Viscosity, in Radical Reactions, 300–301
- SOMO, Catalysis, 55–56
- Sorbose-Derived Catalysts, Epoxidation, 87
- Sparteine
- Alkyl Lithium Adduct, 17, 75–76
 - Alkylation of Aldehydes, 17
 - Deprotonation, 75–76
 - Grignard Adduct, 17
 - Kinetic Resolution, 26–27
 - Oxidation of Alcohols, 26–27
 - Palladium Complex, 26–27, 628
 - Wacker Reaction, 628
- Specific-Acid Catalysis, 66
- Sphingofungin E, Synthesis of, 561
- Spiranes
- Axial chirality, 586–588
 - Generation of, 616–618
 - Via Desymmetrization, 316
- Spiro Bisoxazoline; see Bisoxazoline
- Spirocycles, 316
- Squalene, 565–566
- Regioselective Dihydroxylation, 605
- Staudinger Reaction, 542

- Stereocenters
Axial, 586–588
Central, 580–585
Helical, 588–589
Planar, 589–590
Types, 578–590
- Stereoconvergent, 602
- Stereodivergent, 623
- Stereogenic Metals, 149
- Stereogenic Unit, Definition, 578–581
- Stereoinduction
Aldehyde Alkylation, 345
Aldehyde Alkylation, Zinc Catalysts, 3, 8
Aldol Reaction, Proline, 9
Allylation, 116, 123
Allylation, with Azlactones, 293
Ansa-Metallocenes, 247
C-Acylation, 4
C–H Activation/Cope Rearrangement, 259
C–H Insertion, 304–305
Cross-Coupling, with DKR, 284–286
Curtin–Hammett, 25–26
Cyclopropanation, 259
Desymmetrization of Divinyl Carbinols, 313
- Diels–Alder Reaction
(TADDOLate)Ti Catalyst, 137–140
Boron Catalyst, 125
Copper Catalyst, 120
- Enamide Hydrogenation, 25–26
- Epoxide Desymmetrization, Zirconium Catalyst, 299
- Epoxide Elimination, 74–75
- Hajos–Parrish–Eder–Sauer–Weichert Reaction, 52, 67
- Heck Reaction, 318
- Hetero-Diels–Alder Reaction, Copper Catalyst, 625–626
- Hydrogenation, 25–26
- Hydrosilylation, 316
- Hydrosilylation of Imines, 128
- β -Ketoester Hydrogenation, 275
- Mukaiyama Aldol Reaction, 341
Copper Catalyst, 36–38, 443–444, 624–625
Titanium Catalyst, 36–38
- Planar Chiral DMAP Analog, 4
- Stereoisomers, Number Possible, 592
- Stereoselective
Definition, 601–603
Dynamic Kinetic Resolution, 603
Kinetic Resolution, 603
- Stereospecific
Definition, 601–603
Kinetic Resolution, 603
- Stetter Reaction, 59
- Strecker Reaction, 388–389
- Strychnine, Synthesis of, 555
- Sublimation Rates, Racemate vs. Enantioenriched, 331–332
- Substituent Effects, Transfer Hydrogenation, 174
- Substitution
Asymmetric, 618–619
 S_N1 Reaction, 603
 S_N2 Reaction, 603
- Substrate
1-Acetoxy-1,3-Butadiene, Diels–Alder Reaction, 347–348
1,4-Bisacyloxy-2-Ene, 323
1,5-Dicarbonyl,
Hajos–Parrish–Eder–Sauer–Weichert
Reaction, 52, 67, 392–393
1,2-Diketone, Mukaiyama Aldol Reaction, 606, 631
2-Naphthol, Oxidative Coupling, 536–538
- Acid Chlorides
[2+2] Cycloaddition, 54–55, 485–486
Ketene Generation, 409–413
- Acyl Silanes, Brook Rearrangement, 60–61
- Alcohol
Acylation, 57, 612
Dynamic Kinetic Resolution, 280–284, 488–489
Kinetic Resolution, 26–27, 57, 234, 612
Oxidation, 26–27, 610
Parallel Kinetic Resolution, 260–262
Phosphorylation, 621–622
- Aldehyde
Aldol Reaction, 8–9, 73–74, 179, 364–366, 393–394, 419, 428–429, 450–451, 463–466, 475–477, 572–574, 627
Alkyl Lithium, 17
Alkylation, 2–4, 7–8, 15, 17, 335–336, 343–347, 352–355, 381–382, 469–470, 480, 586, 589, 600
Allylation, 572–573
 α -Allylation, 56
 α -Amination, 53
 α -Chiral Additions, 429–430
 α -Chlorination, 53–54
Conjugate Addition, 53, 59
[2+2] Cycloaddition, 552
Diorganozinc Addition, 2–4, 7–8, 15, 480, 586, 589–590, 600
Ene Reaction, 34
 α -Fluorination, 53, 482–483
Grignard, 17
Hetero-Diels–Alder Reaction, 54, 68–69, 196, 447–448, 480, 556–557, 557–558
Hydrocyanation, 67, 367, 387–388, 479, 558–559
 α -Hydroxylation, 53, 474
 α -Hydroxylation in a Multistep Reaction, 474
 α -Ketoesters, 53
Mannich Reaction, 608
Morita–Baylis–Hillman Reaction, 69, 399
Mukaiyama Aldol Reaction, 35–38, 48–49, 442–444, 601, 624–625
Nitroaldol, 416–417
Nozaki–Hiyama–Kishi Coupling, 450–452
Pinacol Coupling, 624
 α -Sulfonylation, 53
Umpolung Activation, 59
- Aldehyde with Ketones, Aldol Reaction, 8–9, 74

Substrate (cont.)

Alkene

- Cyclopropanation, vii, 82, 87, 258–259, 467–468, 470–471, 481–482
- Diboration, 460–461
- Dihydroxylation, 19–20, 83, 445–446, 475–477, 481–482, 552, 559–560, 565–566, 605, 616, 628–629
- Dihydroxylation with Supported Osmium, 526–527
- Ene Reaction, 34, 306, 552
- Epoxidation, 83–88, 505–506, 552, 569–571
- Heck Reaction, 97–98, 566–567
- Hydroformylation, 12–14, 99–100, 553
- Hydrogenation, 551, 586, 589, 623
- Hydrosilylation, 616–618
- Kinetic Resolution of Atropisomeric Amides, 247–248
- Wacker Reaction, 94–97, 460–461, 628

 β -Alkoxy Aldehyde

- Alkylation, 431
- Diastereocontrol, 431

 α -Alkoxy Ketone

- Diastereocontrol, 429–430
- Grignard Addition, 429
- Reduction, 430

Alkyl Halide, Nozaki–Hiyama–Kishi Coupling, 450–452

Alkynal

- Kinetic Resolution, 262
- Parallel Kinetic Resolution, 262–264

Alkyne, [2+2+2] Cycloaddition, 105–106

Allene

- [4+1] Cycloaddition, 104
- Chiral Counterion Catalyst, 80–81
- Cycloisomerization, 80–81
- Hydroalkoxylation, 80–81
- Hydroamination, 80–81

Allyl Acetate

- Racemization, 283–283
- π -Allylation, 21–23, 102, 291–293, 402, 515–516, 553, 561, 616–617

Allyl Alcohol

- Hydrogenation, 551, 605
- Kinetic Resolution, 242–246
- Parallel Kinetic Resolution, 268–269
- Sharpless–Katsuki Epoxidation, vii, 84–85, 433, 552, 562–564, 569–571, 599–600, 625–626

Chiral

- Cyclopropanation, 432
- Diastereoselection, 432
- Epoxidation, 432

Allyl Amine, Isomerization, 433, 552

Allyl Carbamate, π -Allylation, 554

Allyl Carbonate

- Decarboxylative Allylation, 24–25, 554, 555
- π -Allylation, 102–103, 571–572

Allyl Diester, π -Allylation, 323–325

Allyl Epoxide

- π -Allylation, 554
- Parallel Kinetic Resolution, 266–267

Allyl Ether

Chiral

- Diastereoselection, 431
- Dihydroxylation, 431

Allyl Halide

- Allylic Substitution, 459–460
- Nozaki–Hiyama–Kishi Coupling, 450–452
- S_N2' Reaction, 459–460

Allyl Vinyl Ether, Claisen Rearrangement, 38–39

Allylsilane

- Aldehyde Addition, 352–355, 572–573
- α -Allylation, 56

Chiral

- Aldehyde Addition, 435
- Diastereoselection, 435

Amide, Axially Chiral

- Diastereoselection, 435
- Directed Deprotonation, 435
- Imine Addition, 435

Amine

- Conjugate Additions, 420–421
- Kinetic Resolution, 236–237
- Mannich Reaction, 608

Amino Diene, Metathesis, 240–241

 β -Amino Ketone, Reduction, 560–561

Anhydride

- Acylation, 57
- Alcoholysis, 76
- Cross-Coupling, 621–622
- Kinetic Resolution, 76
- Parallel Kinetic Resolution, 264–266
- Silyl Ketene Acetal C-Acylation, 4

Aryl Boronic Acid

- Conjugate Addition, 465–466
- Suzuki Coupling, 92–93, 614, 618–619

Aryl Halide, Suzuki Coupling, 614, 619

Aryl Triflate, Kumada Coupling, 615

Atropisomers, 247–248

Azalactone

- Kinetic Resolution of Amines, 236
- π -Allylation, 292–293

Azide, Epoxide Opening, 448–449

Benzyl Alcohol, π -Allylation, 554 α -Benzyloxyacetaldehyde

- In Hexose Formation, 397
- Mukaiyama Aldol Reaction, 36–38, 442–444

Bis(Allylic Alcohols), Via Epoxidation, 313

Bis(Triflates), Desymmetrization, 320–321

Bishomoallylic Alcohol, Chiral

- Diastereoselection, 435
- Epoxidation, 435

Butenolides, in Dynamic Kinetic Asymmetric Transformation, 287–288

Carbon Monoxide

- [4+1] Cycloaddition, 104
- Hydroformylation, 12–14, 99–100

Centrosymmetric, Desymmetrization of, 298

Centrosymmetric Bisepoxide, Ring Opening, 311–312

Substrate (*cont.*)

- α -Chiral Aldehyde
 - Alkylation, 430
 - Diastereocontrol, 431
 - Felkin Control, 430
- α -Chiral Diene
 - Allylic Strain, 431
 - Diastereocontrol, 431
 - Diels–Alder Reaction, 431
- α -Chloroamine, [2+2] Cycloaddition, 485–486
- Cyclopropane, [5+2] Cycloaddition, 105
- Cyclopropanol
 - Wagner–Meerwein Shift, 103
 - π -Allylation, 103
- Danishefsky's Diene
 - Hetero-Diels–Alder Reaction, 447–448, 480, 557–558
 - Parallel Kinetic Resolution, 196
- Diastereomeric Complexes, 156
- Diazo Compound, Cyclopropanation, vii
- Diazodicarboxylate, Conjugate Addition, 468–469
- Diazoester
 - C–H Insertion, 304, 441–442, 449–450, 564–565, 619–621
 - Cyclopropanation, 256–257
 - N*-Boc Imine Addition, 70
- Diene
 - [5+2] Cycloaddition, 105
 - Asymmetric Metal Complexation, 618
 - Desymmetrization, 97
 - Diels–Alder Reaction, 15–16, 18, 41, 43–44, 56–58, 68–69, 362–364, 439–441, 447–448, 480, 556–557, 557–558, 629–630
 - Heck Reaction, 318, 319
 - Hydroamination, 103
 - Metathesis, 90–91, 240–242
 - Wacker Reaction, 97
- Diimide, 325
- Diol
 - Desymmetrization, 610
 - DKR, 281
- Diorganozinc
 - Aldehyde Alkylation, 2–4, 7–8, 15, 469–471, 480, 586, 589, 600
 - Conjugate Addition, 14, 464–465, 467–468
 - Cross-Coupling, 621–622
 - α -Ketoester Alkylation, 607
- Divinyl Carbinol, Desymmetrization, 312–313
- Diyne, [2+2+2] Cycloaddition, 105–106
- Enal, Diels–Alder Reaction, 177
- Enamide, Hydrogenation, vii, 10–13, 25–26, 89–99, 435–436, 444–445, 457–459, 503–504, 551, 586, 602
- Enamine
 - Conjugate Addition, 53
 - Mannich Reaction, 474–474
- Enediol Ester, Desymmetrization of, 321–322
- Ene-Dibenzoate, π -Allylation, 324
- Ene-Dicarbamates, in Desymmetrization, 325
- Enol Ether
 - Ene Reaction, 478
 - Hetero-Diels–Alder Reaction, 34–35, 38–39, 625–626
- Enolate
 - Alkylation, 78, 184–187, 446–447, 609–610, 613
 - Asymmetric Protonation, 50
 - PTC Catalysis, 78, 446–447, 609–610, 613
- Enol-Ester Epoxide, Rearrangements, 249–250
- Enone
 - Aza-Morita–Baylis–Hillman Reaction, 400
 - Conjugate Additions, 420–421, 506–508
 - Diorganozinc, 14
 - Michael Reaction, 9–10
- Enyne, 250–252
- Epibromohydrin, 284
- Epoxide
 - Asymmetric Deprotonation, 74, 75
 - Bifunctional Catalysts, 404
 - Desymmetrization, Dynamic Kinetic Resolution, 284
 - Epoxide Opening, 404
 - Isomerization of Meso Epoxides, 349–352
 - Kinetic Resolution, 237–240
 - Nonlinear Effects, 338–339
 - Opening with Azide, 448–449
 - Opening with Water, 552, 557–558
 - Rearrangement, 75, 249–250
- Glycine Imine Enolate
 - Alkylation, 78, 184–187, 446–447, 609–610
 - PTC Catalysis, 78–79, 446–447, 609–610
- Glyoxylate, Ene Reaction, 478
- Grignard, Kumada Coupling, 613, 615
- Homoallylic Alcohol, Chiral
 - Diastereoselection, 432
 - Hydrogenation, 432
- α -Hydroxy Esters, in DKR, 281
- β -Hydroxy Ketone, Hydrogenation, 551
- Imine
 - Aza-Morita–Baylis–Hillman Reaction, 399
 - Hydrocyanation, 611
 - Hydrosilylation, 246
 - Kinetic Resolution, 246–247
 - β -Lactam Synthesis, 409–413
 - Strecker Reaction, 388–389
- α -Iminoester
 - [2+2] Cycloaddition, 54–55, 485–486
 - β -Lactam Formation, 54–55
 - Mannich Reaction, 472–474
- π - π Interactions, 166
- Indole, Friedel–Crafts Reaction, 45, 472–473
- Induced Asymmetry, 156
- Isocyanide-Ester, Aldol, 386–387
- Isocyanacetates, 179
- Ketenes
 - Alcoholysis, 72–73
 - [2+2] Cycloaddition, 54–55, 485–486, 535–536, 552
 - From Acid Chlorides, 409–413
- β -Keto Oxime Ethers, 381
- α -Ketoacetal, Reduction on Platinum, 522–524
- α -Ketoacid, Reduction on Platinum, 522–524
- α -Ketoamide, Reduction on Platinum, 522–524

Substrate (*cont.*)

- α -Ketoester
 - Diorganozinc Addition, 607
 - Ene Reaction, 552
 - Hetero-Diels–Alder Reaction, 54, 462, 487
 - Hydrogenation, 551
 - Mukaiyama Aldol Reaction, 6
 - Reduction on Platinum, 522–524
 - With Bifunctional Catalysts, 390–392
- β -Ketoester, 532–533
 - Dynamic Kinetic Resolution, 273–274
 - Hydrogenation, 194, 551, 626–627
 - Kinetic Resolution, 273–274
 - π -Allylation, 553
- α -Ketoether, Reduction on Platinum, 522–524
- Ketolactone, Reduction, 170–171, 276, 517–519
- Ketone
 - Aldol Reaction, 393–394, 418
 - α -Amination, 606–607
 - CBS Reduction, 379–381
 - Chiral
 - Diastereoselection, 434
 - Reduction, 434
 - Dynamic Kinetic Resolution, 276
 - Hydrocyanation, 388–389, 572–573
 - α -Hydroxylation, 606–607
 - Nanoparticle Supported Hydrogenations, 508–509
 - Mannich Reaction, 608
 - Parallel Kinetic Resolution, 268
 - Reduction, 51, 445, 551, 556–557, 568–569, 572–573
 - Soluble Polymeric Supports, 513–515
 - With Aldehyde, Aldol Reaction, 8–9, 74, 572–574, 627
- α -Ketophosphonates
 - Friedel–Crafts Reaction, 45
 - Hetero-Diels–Alder Reaction, 38–39, 625–626
- Lithium Enolate, Asymmetric Protonation, 50, 70–71
- Malonate
 - Conjugate Addition, 468–469
 - Michael Reaction, 9–10, 463–464, 471–472, 553
 - π -Allylation, 553
- Meso, Desymmetrization, 298
- Meso Diols, 309–310
- Meso Ene diol Ester, Desymmetrization, 321–322
- Meso-Epoxyde, Nonlinear Effects, 338–339
- Methacrolein, Diels–Alder Reaction, 18, 41, 68–69
- Methyl Acrylate, Diels–Alder Reaction, 362–364
- Methyl Crotonate, Diels–Alder Reaction, 41
- Naphthol, Oxidative Biaryl Coupling, 484–485, 562, 614–615
- N*-Boc Imine
 - Addition of Diazoesters, 70
 - Mannich-Type Reaction, 68
- N*-Boc Pyrrolidine
 - Asymmetric Lithiation, 75
 - C–H Insertion, 441–442, 449–450, 564–565, 620–621
- N*-Carboxyanhydrides, DKR, 278
- Nitromethane, Nitroaldol, 416–417, 479
- Nitrones, in 1,3-Dipolar Cycloaddition, 168–171
- Nitrosobenzene
 - α -Amination, 606–607
 - α -Hydroxylation, 474, 606–607
- Oxabicyclic Alkenes, 307–308
- Oxime Ethers, CBS Reduction, 381
- Phenol, π -Allylation, 322–323, 554
- Phenylsulfonylnitromethane Anion, π -Allylation, 23–24
- Phosphine, in Dynamic Kinetic Asymmetric Transformation, 288–290
- Phthalimide, π -Allylation, 554
- Polyene
 - Hydrogenation, 605
 - Polycyclization, 71–72, 567–568
- Propargylic Alcohol
 - Acylation, 57
 - Kinetic Resolution, 57
- Pyrimidine Carboxaldehydes, Autocatalytic Reaction, 357–360
- Quinone, Diels–Alder Reaction, 41, 44
- Siloxydienes, 314–315
- Silyl Ketene Acetals
 - Addition to Imines, 68
 - Addition to α -Benzyloxyacetaldehyde, 36–38, 442–444, 601, 624–625
 - Addition to α -Ketoesters, 6
 - C-Acylation, 4
 - Conjugate Addition, 42
 - Mannich-Type Reaction, 68
 - Mukaiyama Aldol Reaction, 6, 36–38, 49, 442–444, 601, 606, 624–625, 631
 - Vinylogous, 49–50
- Silyl Nitronate, Conjugate Addition, 78–79
- Squalene, Dihydroxylation, 565–566
- Styrene, Hydroamination, 103
- Succinic Anhydrides, Ring Opening of, 264–266
- Sulfide, Oxygenation, 552, 609
- Tetrahydrofuran, in C–H Hydroxylations, 302–303
- Tetrahydropyran, in C–H Hydroxylations, 302–303
- Thiol, Conjugate Addition, 558–559
- Trichlorosilyl Enolate, Mukaiyama Aldol Reaction, 48
- Trienes, Metathesis, 90–91, 512–513, 553
- α,β -Unsaturated Acid, Hydrogenation, 551
- α,β -Unsaturated Aldehyde
 - Conjugate Addition, 78–79
 - Cyclopropanation, 81–82
 - Diels–Alder Reaction, 57–58
 - Friedel–Crafts Reaction, 472–473
 - Hetero-Diels–Alder Reaction, 34–35
 - Hydrofluorination, 482–483
 - Iminium Activation, 58
 - Silyl Nitronate Addition, 78–79
 - Transfer Hydrogenation, 80
- α,β -Unsaturated Amide
 - Brook Rearrangement, 60–61
 - Conjugate Addition, 60–61
- α,β -Unsaturated Carbonyl
 - Conjugate Addition, 59, 558–559

Substrate (*cont.*)

- Stetter Reaction, 59
 - Umpolung Activation, 59
 - α,β -Unsaturated Ester, 166
 - Diels–Alder Reaction, 41
 - α,β -Unsaturated Imide, Conjugate Addition of Cyanide, 405–407
 - α,β -Unsaturated Ketone
 - Conjugate Addition, 9–10, 42, 464–465, 467–468, 489–490, 616–617
 - Hetero-Diels–Alder Reaction, 54, 462, 487
 - Iminium Activation, 56–58
 - Michael Reaction, 463–464, 471–472, 553
 - Morita–Baylis–Hillman Reaction, 69
 - α,β -Unsaturated Nitro, Conjugate Addition, 53
 - α,β -Unsaturated Oxazolidinone, Diels–Alder Reaction, 15–16, 43–44, 43–44, 439–441, 629–630
 - Urethane-Protected α -Amino Acid *N*-Carboxy Anhydrides, Alcoholysis, 76
 - Urethane-Protected π -Amino Acid *N*-Carboxy Anhydrides, Kinetic Resolution, 76
 - Vinyl Ether, Hetero-Diels–Alder Reaction, 34–35, 38–39
 - Vinyl Halide
 - Kumada Coupling, 613
 - Nozaki–Hiyama–Kishi Coupling, 450–452
 - Suzuki Coupling, 619
 - Vinyl Triflate, 318
 - Vinylogous Silyl Ketene Acetals, Mukaiyama Aldol Reaction, 49
 - With Chiral Relays, 157
 - Ylide, Cyclopropanation, 81–82
 - Ynal, Carbonyl-Ene, 306
 - Ynone, in Direct Aldol, 364–366
 - Substrate Activation, 376
 - Substrate Binding
 - C–H- π Interactions, 168
 - α,β -Unsaturated Esters, 166
 - Substrate Dependency of Nonlinear Effects, 346–347
 - Substrate-Directed Reactions; see Diastereocontrol, Directed Reactions
 - Substrate Relay, 121
 - Subtilisin, 283
 - α -Sulfonylation, 53
 - Synthesis of, 418
 - Synthesis of, with Proline, 393–394
 - Sulfide, Oxygenation
 - Enantiotopic Group Differentiation, 609
 - Large-Scale, 552
 - Sulfonium Salts, 582
 - Sulforaphane, 582–583
 - Sulfoxides, 582
 - Formation, Enantiotopic Group Differentiation, 609
 - Via Oxygenation, 552, 609
 - Sulfoximines, 582
 - Sulfur, Centrochirality, 582–583
 - Superparamagnetic Materials, as Solid Supports, 508–509
 - Supported Catalysts, 481, 497–543
 - Chiral Catalysts as Part of Support, 509–521
 - Confinement Effects, 533–535
 - Dual Catalysts, 540–541
 - In Series, 542–543
 - On Mesoporous Silica, 505–506
 - On Silica, 501–506
 - Organic, 497
 - Organocatalysis, 535–536
 - Suzuki Coupling
 - Atropisomer, 92–93, 614
 - Axial Chirality, 92–93, 614
 - Desymmetrization, 618–619
 - Enantiotopic Group Differentiation, 618–619
 - In a Multistep Reaction, 457–458, 460–461
 - Palladium Catalyst, 92–93, 614, 619
 - Planar Chirality, 618–619
 - Swainsonine, Synthesis of, Via Allylation, 324
 - Synthesis
 - Asymmetric Catalysis with Advanced Intermediates, 558–562
 - Convergent Assembly of Small Chiral Molecules, 556–557
 - Diastereoselective, 553–555
 - Double Diastereoselection, 568–574
 - Multiple Stereocenters in More Than One Process, 563–568
 - Multiple Stereocenters in One Process, 562–563
 - Using Chiral Small Molecules, 550–553
- T**
- TADDOL, 135
 - α -Amination, 606–607
 - Diels–Alder Reaction, 43, 68–69
 - Hetero-Diels–Alder Reaction, 68–69
 - Organocatalyst, 606–607
 - pK_a , 67
 - Titanium Complex, 43
 - TADDOLate, (TADDOL dianion); see TADDOL
 - Tandem Reactions, Heck/Dihydroxylation, 540–541
 - Tandem Reactions, Proline-Catalyzed, 397
 - Taondiol, 567–568
 - Tartrate, 592, 625–626
 - Sharpless–Katsuki Epoxidation, vii, 84–85, 433, 552, 562–564, 569–571, 599–600, 625–626
 - Sulfide Oxidation, 552, 609
 - Titanium Complex, vii, 84–85, 433, 552, 562–564, 569–571, 599–600, 609, 625–626
 - Taurospongine, Synthesis of, 568–569
 - TBoxH, Chromium Catalyst, Pinacol Coupling, 624
 - Temperature Effects, 10–13
 - Benzylic Alcohol Oxidation, 26
 - Hydroformylation, 12
 - Mechanism Shift, 11–13
 - Multiple Pathway Reactions, 6–9
 - Nonideal, 9–15
 - Conjugate Addition, 14
 - Hydrogenation, 10–13
 - Michael Reaction, 9–10
 - Simple, 5–6
 - Teraryl Formation, [2+2+2] Cycloaddition, 105–106
 - Termolecular Ring Opening, 278
 - Tests for Homogeneous Catalysts, 515–516

- Tethers
 Impact on Enantio- and Diastereoselectivity, 535–536
 Impact on Supported Catalysts, 535–536
- Tethered Catalysts, 481–482
- Tetrahydrofurans, Via Cycloisomerization, 80–81
- Thienamycin, Synthesis of, 554–555
- Thiourea
 Imine Addition, 68
 Mannich-Type Reaction, 68
- Threonine Derivatives, Synthesis of, 275
- Tin Catalysts
 Bisoxazoline Complex, 631
 Lewis Acid Assisted Brønsted Acids, 71–72, 567–568
 Mukaiyama Aldol Reaction, 606, 631
 Polycyclization, 71–72, 567–568
 Pyridine Bisoxazoline Complex, 606, 631
- T_{INV} ; see Inversion Temperature
- Titanium Catalysts, 126, 139
 Alkylation
 Of Aldehydes, 220–221, 335–336
 Of α -Ketoesters, 607
 Bifunctional Catalyst, 572–573, 607
 Bifunctional Salens, 390–392
 BINOL Complex, 34, 37–38, 306, 335–336, 478, 552
 Binuclear Compounds, 336
 Cryptophycin 52 Synthesis, 569–571
 Diels–Alder Reaction, 15–16, 43, 347–348
 Dimers, in Nonlinear Effects, 336
 EBTHI Complex, 15–16
 Ene Reaction, 34, 199–200, 306, 478, 552
 Epoxide Rearrangement, 249–250
 Fostriecin Synthesis, 572–573
 Hydrocyanation, of Ketones, 389–390
 In a Multistep Reaction, 478
 Metal–Organic Coordination Networks, 519–520
 Mukaiyama Aldol Reaction, 37–38
 Nonlinear Effects, Aldehyde Alkylation, 335–336
 Parallel Kinetic Resolution, Sharpless–Katsuki
 Asymmetric Epoxidation, 268–269
 Salen Complex, 607
 Sharpless–Katsuki Epoxidation, vii, 85, 433, 242–246, 313, 552, 562–564, 569–571, 599–600, 625–626
 Silylcyanation, 572–573
 Solvent Effect, 15–16
 Sulfide Oxidation, 552, 609
 TADDOL Complex, 43, 136
 Tartrate Complex, vii, 85, 433, 552, 562–564, 569–571, 599–600, 609, 625–626
- Titanium Oxo, Possible Intermediate, Diels–Alder Reaction, 347–348
- TMS-Azide, in Allylations, 325
- Tocopherol, Synthesis of, 568–569
- TOF; see Turnover Frequency
- TON; see Turnover Number
- Total Synthesis; see Synthesis
- Trans Influence
 Allylation, 116
 Hydrogenation, 145
- Transesterification, in a Multistep Reaction, 462
- Transesterification, in a Multistep Reaction, 487
- Transfer Hydrogenation, 58, 80, 445, 482–483, 488, 556–557, 560–561, 572–573, 610
 Amino Alcohols, 170–175
 Charge-Transfer Interactions, 173
 C–H- π Interactions, 170
 Electronic Effects, 174
- Transition States
 Aldehyde Alkylation, Zinc Catalysts, 345
 Aldol Reaction, Proline, 9
 Hajos–Parrish–Eder–Sauer–Weichert Reaction, 52, 67
- Transmission of Asymmetry, 115
 Bisoxazolines, 118–119
 C_2 - vs. Non- C_2 -Symmetric Catalysts, 116
- Triamine, Enolate Protonation, 50
- Triazolidinyllindene Carbene Catalyst, Stetter Reaction, 59
- Trichlorosilyl Enolates, Lewis Base Catalysis, 47–49, 353
- α -(Trifluoromethyl)Lactic Acid, Sublimation of, 331–332
- Triketones, Hajos–Parrish–Eder–Sauer–Wiechert Reaction, 52, 67, 392–393
- Trimethyldodecanol, Via Hydrogenation, 569
- Trimethylsilyl Azide, Epoxide Desymmetrization, 298–300
- Triple Diastereoselection; see Diastereoselection, Triple
- Tryptophan, 176–178
- Tsuji–Trost Asymmetric Allylic Alkylation Reaction; see α -Allylation
- Tunephos, in Asymmetric Hydrogenation, 275
- Tungsten Catalysts, Metathesis, 90
- Turnover Frequency, vi, 550–552
- Turnover Number, vi, 550–552
- Turnover-Limiting Step, 6, 16–17
- Two-Directional Synthesis, 477–478, 563
- Two-Point Binding, 170
 Lewis Acid Catalysis, 35–39, 43–45
- Two-State Model, 5
- U**
- Umpolung, 58–61, 69–70
- γ,δ -Unsaturated Aldehyde, Via α -Allylation, of Aldehydes, 56
- γ,δ -Unsaturated Carbonyl, Via Claisen Rearrangement, 38–39
- Urea Catalysts
 pK_a , 67
 Strecker Reaction, 611
- V**
- Valienamine, Toward the Synthesis of, 324
- van der Waals Forces, Phase-Transfer Catalysis, 184
- Vanadium Catalyst, 2-Naphthol Oxidation, 536–538
- Vapor Pressure, Racemate vs. Enantioenriched, 331

674 Index

Vaulted Biaryl
 Aluminum Complex, 41
 Diels–Alder Reaction, 41
 Vernolepin, Toward the Synthesis of, 319

W

Wacker Reaction
 η^2 -Coordination, 94–96
 Desymmetrization, 96–97
 In a Multistep Reaction, 460–461
 In Synthesis, 555
 Intermolecular, 94–95
 Intramolecular, 95–97, 460–461, 628
 Palladium Catalysts, 94–98, 460–461, 628
 Wagner–Meerwein Shift, in π -Allylation, 103
 Wang Resin, 535
 Wieland–Miescher Ketone, Via Hajos–Parrish–Eder–
 Sauer–Weichert Reaction, 52, 67, 392–393
 Chiral Relay Substrates, 158

X

X-Ray Structure
 (Arene)Os(Bisphosphine), 150
 (BINAP)M,(Binolate)Ti,(BIPHEN)RuCl₂(Diamine),
 213
 [(*S,S*)-*t*-Bu-Box]Cu(OH₂)₂(SbF₆), 119
 Chromium Schiff Base Catalyst, 35
 Cinchona Phase-Transfer Catalyst, 78
 Cp*Ir(Prophos)(Methacrolein)²⁺, 170
 [Cu(PhPyBox)(BnOCH₂CHO)](SbF₆)₂, 36
 (Diamine)Zinc, 141
 Diamine(Me₂Zn) Complex, 141
 Hetero- and Homochiral Dimers, 345
 Li₃(THF)_N(BINOLate)₃Ln Derivatives, 415
 (Ph₂-BINOLate)Zn(Diamine), 220
 Phase-Transfer Catalyst, 186
 Planar Chiral Catalyst, 336
 Planar Chiral DMAP Analog, 56–57

TADDOL, 68
 (TADDOLate)Ti, 136, 137
 Ti–TADDOL complex, 43

Y

Ylide, Cyclopropanation, 81–82
 Ytterbium Catalysts, BINOL Complex, Diels–Alder
 Reaction, 629–630

Z

Zaragozic Acid, Synthesis of, 559–560
 Zeolite EMT
 Structure, 529
 Support, 529–531
 Zeolite Supports, Positive Impact on
 Enantioselectivities, 506–508
 Zeolites, Molecular Sieves, 506–508
 Zimmerman–Traxler-Like Transition State, with
 Proline, 394–395
 Zinc Catalysts, 121, 148
 Aldehyde Alkylation, 381–382
 β -Amino Alcohol Complexes, 2–4, 7–8, 469–471,
 600
 BINOL/Bisimine Complex, 480
 DAIB Complex, 2–4, 7–8
 HELOL Complex, 589
 MIB Complex, 469–471
 Aldol Reaction, 364–366
 Aldolase, 377–378
 Desymmetrization, Oxabicyclic Alkenes, 307–308
 Hetero-Diels–Alder Reaction, BINOL/Bisimine
 Complex, 480
 In a Multistep Reaction, 469–471
 BINOL/Bisimine Complex, 480
 Zirconium
 Epoxidation, Desymmetrization, 314
 In Desymmetrizations, 298–300
 Zolof, Synthesis, Via Hydrosilylation of Imines, 247